

DISTRICT II
P.O. Drawer DD, Artesia, NM 88211-0719

OIL CONSERVATION DIVISION

Revised February 10, 1967
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

DISTRICT IV
P O. BOX 2088, SANTA FE, N.M. 87504-2088

WELL LOCATION AND ACREAGE DEDICATION PLAT

☐ AMENDED REPORT

API Number 30-025-35944	Pool Code 22900	Pool Name Eunice: Bli-Tu-Dr, North
Property Code 22503	Property Name N.E.D.U.	Well Number 143
OGRID No. 000873	Operator Name APACHE CORPORATION	Elevation 3485'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
3	3	21-S	37-E		330	NORTH	1330	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
---------------	---------	----------	-------	---------	---------------	------------------	---------------	----------------	--------

40 Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
37.75			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

GEODETIC COORDINATES

NAD 27 NME

Y = 555342.9

X = 863304.4

LAT= 32°31'16.41"N

LONG= 103°09'16.86"W

3493.5' 3488.9'

3487.0' 3484.0'

SCALE: 1" = 2000'

OPERATOR CERTIFICATION

I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief

Harold Swain

Signature

Harold Swain

Printed Name

Drilling Foreman

Title

May 1, 2002

Date

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

APRIL 18, 2002

Date Surveyed

AWB


Signature & Seal of Professional Surveyor

Ronald J. Edson 4/22/02
02.11.0308

Certificate No. RONALD J. EDSON 3239
GARY EDSON 12641

LOCATION VERIFICATION MAP

EXHIBIT E-2



SCALE: 1" = 2000'

CONTOUR INTERVAL: 5'

HOBBS SW, N.M.

SEC. 3 TWP. 21-S RGE. 37-E

SURVEY N.M.P.M.

COUNTY LEA

DESCRIPTION 330' FNL & 1330' FWL

ELEVATION 3485'

OPERATOR APACHE CORPORATION

LEASE N.E.D.U.

U.S.G.S. TOPOGRAPHIC MAP
HOBBS SW, N.M.

Access Route
Lease Boundary

JOHN WEST SURVEYING
HOBBS, NEW MEXICO

(505) 393-3117 JUL 2002


RECEIVED
Hobbs
OCD

BOP Schematic



EXHIBIT H

*Note: If BOP is equipped w/ side outlets below the rams, a spool is not required.

2000 psi WP Double Ram
Blow-out Preventor. Must be tested
to 1000 psi prior to drilling out
8-8/8" surface casing.



Choke Manifold Schematic



ABOVE DATE DOES NOT
INDICATE WHEN
CONFIDENTIAL LOGS
WILL BE RELEASED

ELF 10/10/02