

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
063228
 Lease No. **Lease**
 Unit

X			

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	install pumping equipment	x

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 23, 1963

Fields
2
Well No. _____ is located 990 ft. from ~~XXX~~ line and 330 ft. from ~~XXX~~ line of sec. 25
SW 4 of SW 4 Sec. 25 23S 32E NNPM
(~~Q~~ Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Triste Draw Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3700 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

In order to produce this well from the perforated interval 5073-5076 of the Delaware horizon, permanent pumping equipment was installed on November 1, 1962. Equipment installed included an 80-D pumping unit, a 20 HP electric motor, 1,800' of 3/4" x 25' sucker rods and 3250' of 5/8" x 25' sucker rods.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company
Address Box 427
Hobbs, New Mexico

By J. A. Fuller
Title Assistant District Superintendent

USGS (5) NMOC (2) WAM P11e

1000
1000
1000

1000 1000 1000 1000

1000 1000

1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000

1000 1000 1000 1000 1000 1000

1000

1000 1000 1000 1000 1000 1000 1000 1000 1000 1000
1000 1000 1000 1000 1000 1000 1000 1000 1000 1000
1000 1000 1000 1000 1000 1000 1000 1000 1000 1000
1000 1000 1000 1000 1000 1000 1000 1000 1000 1000

1000 1000 1000 1000
1000 1000 1000 1000
1000 1000 1000 1000

1000 1000 1000 1000

1000 1000 1000 1000

[illegible]

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked," or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

16-43094-2 U. S. GOVERNMENT PRINTING OFFICE

Perf. 5073 with 3 may Jet 5074-5076 with 2 JSPF. Acidized with 250 balloons "nd acid.

1975
5405
9905
ET05
9947
5517