



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

THE OHIO OIL COMPANY
(Company or Operator)

State McDonald a/c 1-B
(Lease)

Well No. 19, in SE 1/4 of SE 1/4, of Sec. 26, T. 22 S., R. 36 E., NMPM.
South Eunice Pool, Lea County.
Well is 660 feet from D line and 660 feet from E line
of Section 26. If State Land the Oil and Gas Lease No. is 106.
Drilling Commenced 8-8-61, 19. Drilling was Completed 8-15-61, 19.
Name of Drilling Contractor Blue Pacific Drilling Company
Address 805 Midland Tower Building, Midland, Texas
Elevation above sea level at Top of Tubing Head DF 3481. The information given is to be kept confidential until , 19.

OIL SANDS OR ZONES

No. 1, from 3714 to 3770 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	New	426	Guide			Surface
4 1/2	9.5#	"	3816	"			Pred.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4	8 5/8	436	225	2-Plug		
6 3/4	4 1/2	3814	900	2-Plug		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Treated with 20,000 lease oil & 30,000# sand thru perfs. 3714-3770'

Result of Production Stimulation Flowed 40 BO. & no wtr. in 12 hrs. thru 2 1/2" chks. TP-60#, GP-200#

Depth Cleaned Out 3776'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3815 feet, and from feet to feet.
 Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 8-29-61, 19.

OIL WELL: The production during the first 12 hours was 40 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37.8° API

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
 Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	440	440	Red Bed	ELECTRIC LOG TOPS			
440	1055	615	Red Bed, Anhy.				
1055	1462	407	Anhy.				
1462	2906	1444	Anhy. Salt				
2906	3366	460	Anhy.				
3366	3815	449	Lime				
3815'	TOTAL DEPTH		Dist:				
			J. A. Grimes				
			L. H. Shearer				
			D. V. Kitley				
			T. A. Steele				
			B. L. Walters				
			T. O. Webb				
			J. B. Bailey				
							Anhy. 1446
							T. Salt 1628
							B. Salt 2450
							Top Yates 3066
							7 Rivers 3326
							Queen 3690

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator THE OHIO OIL COMPANY Address Box 2107, Hobbs, New Mexico
 Name R. E. Mann Position Asst. Supt.
 Date October 6, 1961