


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

07

6001

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPLICATE.**

Gulf Oil Corporation Of Pennsylvania

Annie L. Christmas

Company or Operator

Well No.

Lease

27

of Sec.

T. 23S

R. 34E, N. M. P. M.,

County.

Well is 530 feet south of the North line and 312 feet west of the East line of

If State land the oil and gas lease is No. 27 Assignment No.

If patented land the owner is Address

If Government land the permittee is Address

The Lessee is Gulf Oil Corporation Of Pennsylvania Address Tulsa, Oklahoma.

Drilling commenced 1-15-36 19 Drilling was completed 3-15-36 19

Name of drilling contractor Gulf - Rotary Drill Co. Address Tulsa, Oklahoma.

Elevation above sea level at top of casing: 1400 feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 3490 to 3775 No. 4, from to
No. 2, from 3775 to 4510 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from Rotary hole to feet.
No. 2, from to feet.
No. 2, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10-5/4	40	8	Lapw.	335'	?			
7-5/8	26	8	Sm. S.	3300'	?			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10-5/4	10-5/4	335'	330	Rotary		
7-5/8	7-5/8	3300'	550	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 4510 feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 1, 19
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours 27, 450, 000 Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in. 1400

EMPLOYEES

1/ Driller Driller
Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 6th,

day of April, 1936

Notary Public.

My Commission expires March 16, 1940

Tulsa, Oklahoma

April 6th, 1936

Name J. H. Ponder

Position General Superintendent

Representing Gulf Oil Corporation Of Pa.

Company or Operator

Address Tulsa, Oklahoma.

