

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT TO DRILL" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Atlantic Richfield Company		8. Farm or Lease Name Shipley "A" WN
3. Address of Operator P. O. Box 1710, Hobbs, New Mexico 88240		9. Well No. 1
4. Location of Well UNIT LETTER <u>C</u> <u>990</u> FEET FROM THE <u>North</u> LINE AND <u>1650</u> FEET FROM THE <u>West</u> LINE, SECTION <u>27</u> TOWNSHIP <u>22</u> RANGE <u>36</u> N.M.P.M.		10. Field and Pool, or Wildcat Jalmat Yates 7-R Qn
15. Elevation (Show whether DF, RT, GR, etc.) 3504' GR		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/> Clean out run liner

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Rigged up on 8-22-78. POH w/completion assy. Cleaned out & reamed w/6 1/4" bit from 3331' - 3645' TD. RIH w/504' of 4 1/2" fiberglass liner, spiral drld w/1 1/4" hole/ft. bottom of liner @ 3645', top @ 3141'. RIH w/1 jt of 2-3/8" OD EUE tbgs w/BP, 2-3/8" OD PN, 2-3/8" SN & 3587' of 2-3/8" OD EUE tbgs, btm tbgs @ 3632', SN @ 3596'. RIH w/rods & pump, put on test. On 24 hr potential test pmpd 5 BO, 2 BW, 107 MCFG, GOR 21,400:1.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Dist. Drlg. Supt. DATE 9-29-78

APPROVED BY [Signature] TITLE DATE OCT 5 1978

CONDITIONS OF APPROVAL, IF ANY