 		ļ				1	NEW MEXIC	O OIL CONS	ERVATION C	юмм	ISSION
		er nave						-	New Mexico		
			┝╌┨								
		ļ							RECORD	7 FX	3 63
_ X		ļ	$\left \right $				11		KEUUKU-		-
			┝╌┼				New w				
		ļ									m C-101 was sent not Rules and Regulations
					c	of the Commi	ssion. Submit in	QUINTUPLIC	ATE, If St	ste La	nd submit 6 Copies
LOCAT	REA 6	T C0	RRDC								
		<u>. C o</u>	ntir	ental (onpany			(Lease)	B-3	3
cil No.)		i	NW		6	4, of Sec. 33	, T.	22 - 5	, R	<u>36Е</u> , NMPM.
											County.
ell is											estline
											, 19
	mencee			De	xter	Drilling	Company	g was complete	.		
ame of Dri	ling C	ontra	ictor	¥1	chita	a Falls,	Texas				
											e kept confidential until
levation abo							<u></u>	Inc 11	iormation given :	us to De	e kept conndential unui
					, 10.						
							SANDS OR 2				
o. 1, from				3628 t		636	No. 4	, from		to	
o. 2, from				to	0		No. !	, from		to	•••••
o. 3, from				ta	o		No. (, from		to	
							TANT WATE				
							water rose in hol		. .		

											••••••
o. 4, from	••••••					to	••••••		Icet		•••••••••••••••••••••••••••••••••••••••
							CASING RECO	RD			
SIZE	1	WEIG PER P	THE TOOT	NEW		AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIO	NB	PURPOSE
8 5/8		2	•#	New		370	Guide				<u> </u>
5 1/2			•// 1_#	New		3831	Float		3628-3636		011
									(See below	2	·
				I		<u></u>	1	1	<u>I</u>	i	
						MUDDING	AND CEMENT	ING RECORD	·		
SIZE OF HOLE	SIZE CABI			WHERE SET	NO	. SACKS CEMENT	METHOD USED		MUD GRAVITY		AMOUNT OF MUD USED
								lue			
11 6 1/4		<u>5/8</u> 1/2	_	<u>381</u> 3814		250 900	pump & pu				
			1		1						·····
					RF	CORD OF P	BODUCTION	AND STIMULA	TION		
				(Record t	the Pro	cess used, No	of Qts. or Ga	ls. used, interva	l treated or shot.)	
3628	36 11	DAL	ធ/៩	•		•	-				.₩/2000.gals.aci
			-	ezed)		•					
92999 				/	*****	*****	*****				
		••••••									••••••
		•••••		••••••							
Result of Pro	oductio	n Sti	mulati	ionP	mp 10	1 Bbls 3	4 deg grav	oil, 20 BW	in 18 hour	s, W/	29.4 MCFGPD,
				GK	OR 21	8, DOR 1	35 Bbls.				
		••••		•••••					Depth Clean	ed Out	••••

0/4 MMOCC WAM file

· · .

RECORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

		2	TOOLS USED	
Rotary tools w Cable tools we	re used fromQ	feet to 3.82 feet to	5feet, and from	feet tofeet.
		P	RODUCTION	
Put to Produc	ing November 26, 1955	, 19)	
OIL WELL:	The production during the first 2	24 hours was	158 barrels	of liquid of which
				nd% was sediment. A.P.I.
	Gravity			
GAS WELL:	The production during the first 2	4 hours was		barrels of
	liquid Hydrocarbon. Shut in Pres			
T it for				
Length of I in	ne Shut in			
PLEASE	INDICATE BELOW FORMAT	ION TOPS (IN	CONFORMANCE WITH G	EOGRAPHICAL SECTION OF STATE):
	Southeastern N			Northwestern New Mexico
T. Anhy	1360	T. Devonian.		T. Ojo Alamo
	1470	T. Silurian		
B. Salt	2748	T. Montoya		T. Farmington
T. XXXXXXX	nsill 2893	T. Simpson		T. Pictured Cliffs
T. İchince]	ates	T. McKee		
T. 9000	Rivers 3223	T. Ellenburg	er	
T. CREARE	Base Hyere 3685	T. Gr. Wash		
	s	T. Granite.		

					Northwestern New Mexico
Т.	Anhy 1360	Т.	Devonian	т.	Ojo Alamo
	Salt		Silurian	Т.	Kirtland-Fruitland
В.	Salt	Т.	Montoya	Т.	Farmington
Т.	xioux Tansill 2893		Simpson		
Т.	inite Yates		McKee		
Т.	Stor 7 Rivers 3223	Т.	Ellenburger	Т.	
Т.	Santar Base Hyers 3685	Т.	Gr. Wash		Mancos
Т'.	San Andres	Т.	Granite		Dakota
Т.	Glorieta	Τ.			Morrison
Т.	Drinkard	Т.			Penn
Т.	Tubbs	Т.		Т.	
Т.	Abo	Т.		т.	
	Penn				
Т.	Miss	Т.		Т.	

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 1360 1470 2748 2893 3685	1360 1470 2748 2893 3685 3825		Surface calichie & Red Be Anhydrite Salt & Anhydrite Anhydrite Dolo & Lm Dolo & Sand streamers				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

1a

December 15, 1959

Name.....J. R. Parker