

HHR/LLC

Office File No.

P. O. Box 21873 APR 15 AM 9:30
Albuquerque, New Mexico

April 3, 1958

NFO 405
Apr 4-24

Mr. A. L. Porter, Jr.
Director-Secretary
New Mexico Oil
Conservation Commission
Santa Fe, New Mexico

Dear Sir:

Please refer to our letter from Mr. R. F. Montgomery, stating that it will be necessary for us to apply for a no-flare order from the Commission not later than 4-5-58, in the event a gas connection has not been made to our State McDonald A/C 1 "P" Well No.6 by that date.

We hereby ask that an exception to the "No-Flare" order be granted for this well. The lease on which this well is situated is in Sections 26, 35 and 36, T.22-S. R.36-E., Lea County, New Mexico.

Wells Nos. 1, 2, 3, 5, and 7 thru 12 have also been completed on this lease.

We have a contract with Phillips Petroleum Company, whereby they will purchase the casinghead gas from these wells as soon as they have the necessary gathering line installed and connected.

Please refer to our letter of February 27, 1958, to which we attached a copy of a letter we received from Phillips stating the project was delayed until June, 1958.

The volume of gas to be flared from State McDonald A/C 1 "P" Well No.6 is approximately 20 MCF per day. The gas-oil ratio of this well is 437:1.

object well, add 10% FBS to 100 ml

821 L 11x11

10% FBS
Gentamycin - 100 mg/ml
10% FBS
penicillin G
streptomycin
10% FBS

10% FBS

overnight at 37°C until most cells are at confluence

-on a T25 flask or an 18mm dish add 10ml of media
add 100U/ml penicillin and 100mg/ml streptomycin
bisimide adds 100U/ml of each and add 10ml of media
. add 10ml of DMEM with 10% FBS

"gentamycin" adds 100U/ml of penicillin and

100mg/ml streptomycin and 100U/ml of bisimide
100U/ml of penicillin and 100mg/ml of streptomycin
. add 10ml of media

seed cells over DMEM + 10% FBS + 100U/ml of penicillin

. 100mg/ml of streptomycin

overnight until confluent when add 10ml of media
add 100U/ml of penicillin and 100mg/ml of streptomycin
bisimide adds 100U/ml of each and add 10ml of media
. add 10ml of media

on a T25 flask or 18mm dish add 10ml of media

add 100U/ml of penicillin and 100mg/ml of streptomycin
. add 10ml of media

bisimide adds 100U/ml of penicillin and 100mg/ml of streptomycin
. add 10ml of media