

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Sinclair Oil & Gas Company

(Company or Operator)

Rodman H. Jones

(Lease)

Well No. 3, in NE $\frac{1}{4}$ of NW $\frac{1}{4}$, of Sec. 35, T. 22S, R. 34E, NMPM.

South Dunes

Pool,

Lee

County.

Well is 660 feet from North line and 1980 feet from West lineof Section 35. If State Land the Oil and Gas Lease No. is _____Drilling Commenced August 16, 1957 Drilling was Completed August 29, 1957Name of Drilling Contractor Sahre Drilling CompanyAddress Box 13, Midland, TexasElevation above sea level at Top of Tubing Head 3498 The information given is to be kept confidential until _____, 19____

OIL SANDS OR ZONES

No. 1, from 3691 to 3700 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8	22.70	New	306	-	-	-	Surface
5-1/2	15.5	New	3825	Floot	-	See below	Production
2-3/8	4.7	New	3702	-	-	-	Tubing

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	8-5/8	306	200	Hallibarton		
7-7/8	5-1/2	3825	100	Hallibarton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

5-1/2" OD casing perforated 3697-3721, 3733-57, 3761-69 w/4 jet shots per ft.Sandoil fraced w/10,000 gal refined oil & 10,000 lb sand. Used 112 - 7/8" rubber balls then sandoil fraced w/10,000 gals refined oil & 10,000 lb sand.

Result of Production Stimulation Flowed back load oil & then flowed 87 bbls new oil thru 1 1/4" choke in 10 hours.

Depth Cleaned Out _____

Orig & Acc: OCC, cc: FHR, WFD, File

I ORD OF DRILL-STEM AND SPECIAL TES

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface 3025 feet to feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing September 3 57, 1929
OIL WELL: The production during the first 24 hours was 209 barrels of liquid of which 100 % was oil; 0 % was emulsion; 0 % water; and 0 % was sediment. A.P.I. Gravity 33
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1487		T. Devonian.		T. Ojo Alamo.
T. Salt.	1450		T. Silurian.		T. Kirtland-Fruitland.
B. Salt.	3134		T. Montoya.		T. Farmington.
T. Yates.	3228		T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.	3691		T. McKee.		T. Menefee.
T. Queen.			T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.			T. Granite.		T. Dakota.
T. Glorieta.			T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1260	1260	Redbed				
1260	1570	310	Redbed & Anhydrite				
1570	1652	82	Anhydrite & Salt				
1652	1985	333	Salt & Redbed				
1985	2966	981	Salt & Anhydrite				
2966	3134	168	Anhydrite & Gypsum				
3134	3481	350	Shale Lino & Dolomite				
3481	3566	82	Sand, Lino & Dolomite				
3566	3625	259	Sandy Lino				
3625	Total Depth						
3700	Total Plug Back Depth						

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Sinclair Oil & Gas Co. Address 520 E. Broadway, Hobbs, N.M. (Date) 9-7-57
Name G.C. Salter Position or Title Dist. Supt.