

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Jal. New Mexico

3/22/49

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

R. Olsen Oil Company  
Company or Operator

Emery King  
Lease

Well No. 1-~~23~~ in C SW NW

of Sec. 1, T 23S, R 36E, N. M., P. M., Langlie Mottis Field, Lea County.  
N

The well is 1980 feet (N.) (S.) of the North line and 660 feet (E.) (W.) of the West line of NW 1 section 1 - 23S-36E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is Emery King?


Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_



AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary Tools  
from 0 to total depth.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
12 1/4"	10 3/4"	32 lbs.	New	300' ?	Cemented	Circulated
8 3/4"	7"	20 lbs.	New	3100'	Cemented	Enough to cement salt section
7 7/8"	5 1/2"	15 1/2 lbs.	New	6000' ?	Cemented	200 sacks

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3200 feet.

Additional information: Note: At present it is undecided as to whether this test will be drilled for a shallow gas well (3400 TD) or whether this well will be drilled to test the Glorietta zone (6000' ?) Should this well be drilled as a gas well we will not run the 5 1/2" casing as listed above.

Approved \_\_\_\_\_, 19

except as follows:

Sincerely yours,

R. Olsen Oil Company

Company or Operator

By \_\_\_\_\_

Position Geologist

Send communications regarding well to

Name R. Olsen Oil Company

Address Drawer Z Jal, New Mexico

OIL CONSERVATION COMMISSION,

By \_\_\_\_\_

Title \_\_\_\_\_

N. A. GAS INSPECTOR

*Handwritten signature*

*Handwritten signature*