

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	XX	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

October 17, 1949

Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____
Skelly Oil Company **King "C"** Well No. **1** in the _____

Company or Operator **SW/4 NE/4** of Sec. **1**, T. **23S**, R. **36E**, N. M. P. M.,
Langlie-Mattix Field, **Lea** County.

The dates of this work were as follows:

Notice of intention to do the work was ~~(was not)~~ submitted on Form C-102 on **Oct. 14,** 19 **49**
 and approval of the proposed plan was ~~(was not)~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Drilled to 1387', ran string of 9-5/8" OD casing set at 1387' and cemented with 400 sacks cement. Halliburton process used and cement circulated to bottom of cellar. Let set 36 hours and on October 15, 1949, at approximately 9:30 A.M. drilled plug and tested casing shut-off. Shut-off test O.K. Now drilling ahead.

Witnessed by **Geo. Baker** **Cactus Drilling Co.** **Tool Pusher**
 Name Company Title

Subscribed and sworn before me this **17** day of **October** 19 **49**
SRB Lick Notary Public

I hereby swear or affirm that the information given above is true and correct.
 Name **Ray Yankovich**
 Position **Dist. Superintendent**
 Representing **Skelly Oil Company**
 Company or Operator
 Address **Drawer "D", Hobbs, New Mexico**

MY COMMISSION EXPIRES AUG. 10, 1952
 My commission expires _____

Remarks:

APPROVED

Name

Title

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	XX	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

October 14, 1949

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Skelly Oil Company King "C" Well No. 1 in SW/4 NE/4
 Company or Operator Lease
 of Sec. 1, T. 23S, R. 36E, N. M. P. M., Langlie-Mattix Field.
 Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Drilled to 1387', ran string 9-5/8" OD casing set at 1387' and cemented with 400 sacks cement. Halliburton process used and cement circulated back to bottom of cellar. Will let set 36 hours and on October 15, 1949 at approximately 9:30 A.M. will drill plug and test casing shut-off.

Approved _____, 19____
except as follows:

OIL CONSERVATION COMMISSION,

By Ray Garbrough
Title _____

Skelly Oil Company

Company or Operator

By _____

Position _____ Dist. Supt.

Send communications regarding well to

Name _____ Skelly Oil Company

Address _____ Drawer "D"

Hobbs, New Mexico

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

October 1, 1949

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Skelly Oil Company

King "C"


Well No. 1

in SW/4 NE/4

Company or Operator

Lease

of Sec. 1, T 23S, R 36E, N. M. P. M., Langlie-Mattix Field, Lea County.



AREA 640 ACRES

LOCATE WELL CORRECTLY

The well is 1980 feet (N.) (S.) of the North line and 1980 feet (E.) (W.) of the East line of Section 1-23S-36E

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is B. L. King

Address Eunice, New Mexico

If government land the permittee is

Address

The lessee is Skelly Oil Company

Address Tulsa, Oklahoma

We propose to drill well with drilling equipment as follows:

Rotary Tools from surface to total depth.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
12" 8-3/4"	9-5/8" 7"	36# 20#	New "	1100' 3400'	Cemented "	350 300

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 3400 feet.

Additional information:

Approved _____, 19____
except as follows:

OIL CONSERVATION COMMISSION,

By

Title

Sincerely yours,

Skelly Oil Company
Company or Operator

By

Position

Dist. Supt.

Send communications regarding well to

Name Skelly Oil Company

Address Hobbs, New Mexico