

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
310 Old Santa Fe Trail, Room 206  
Santa Fe, New Mexico 87503

WELL API NO.  
30-025-09218-00-00

5. Indicate Type of Lease  
STATE ☒ FEE ☐

6. State Oil & Gas Lease No.  
B-1167

7. Lease Name or Unit Agreement Name  
State JG

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well  
OIL ☒ GAS ☐  
WELL ☒ WELL ☐ OTHER ☐

2. Name of Operator  
John H. Hendrix Corporation

3. Well No. 3

3. Address of Operator  
PO Box 3040; Midland, Texas 79702-3040

9. Pool name or Wildcat  
Langlie Mattix

4. Well Location  
Unit Letter K 1980 Feet From The South Line and 2310 Feet From The West Line

Section 2 Township 23S Range 36E NMPM Lea County  
10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
3461' DF

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WORK ☐ ALTERING CASING ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLING OPNS ☐ PLUG AND ABANDONMENT ☐  
PULL OR ALTER CASING ☐ CASING TEST AND CEMENT JOB ☐  
OTHER ☐ OTHER ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103.

1. Rig up P&A equipment. Dig and line work pit. NU BOP.
2. Set CIBP at 3450'.
3. Circulate hole w/ 9.5# mud
4. Cap CIBP w/ 40 sx. cement.
5. Spot 45 sx cement from 3100'-3000'.
6. Perforate at 2826'. Squeeze w/ 55 sx. cement. Displace TOC to 2726' (base of salt). Tag
7. Perforate at 1322'. Squeeze w/ 55 sx. cement. Displace TOC to 1222' (Top of salt). Tag
8. Perforate at 295'. Squeeze w/ 100 sx. cement. Displace TOC to 195'. Tag
9. Cut off wellhead. Spot 10 sx. surface plug.
10. Install P&A marker

ALL INFORMATION MUST BE NOTIFIED 24  
HOURS BEFORE THE BEGINNING OF  
OPERATIONS FOR THE C-103  
IS REQUIRED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE H. Boatright TITLE Agent

DATE 11/14/02

TYPE OR PRINT NAME H. Boatright

TELEPHONE NO. 915-570-5382

(This space for State Use)

APPROVED BY NOV 18 2002

CONDITIONS OF APPROVAL, IF ANY:

WELL NAME AND NUMBER

State JG #3


John H Hendrix Corporation

Lea County, New Mexico

After Plug and Abandonment

State Lease No. B-1167

WELLBORE CONFIGURATION



# WELL NAME AND NUMBER


State JG #3

John H Hendrix Corporation

Lea County, New Mexico

State Lease No. B-1167

## WELLBORE CONFIGURATION



State 56 #3

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

#### TOOLS USED

Rotary tools were used from 0 feet to 3802 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

#### PRODUCTION

Put to Producing December 12 60  
OIL WELL: The production during the first 24 hours was 134 barrels of liquid of which 146 was oil; % was emulsion; 54 % water; and % was sediment. A.P.I. Gravity 30.9 deg.  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

| Southeastern New Mexico |                | Northwestern New Mexico |                        |
|-------------------------|----------------|-------------------------|------------------------|
| Rustler                 |                |                         |                        |
| T. Anhy.                | 1322' (+2139') | T. Devonian.            | T. Ojo Alamo.          |
| T. Salt. Base           | 2826' (+635')  | T. Silurian.            | T. Kirtland-Fruitland. |
| B. Salt.                | 2995' (+466')  | T. Montoya.             | T. Farmington.         |
| T. Yates.               | 3192' (+269')  | T. Simpson.             | T. Pictured Cliffs.    |
| T. 7 Rivers.            | 3559' (-98')   | T. McKee.               | T. Menefee.            |
| T. Queen.               |                | T. Ellenburger.         | T. Point Lookout.      |
| T. Grayburg.            |                | T. Gr. Wash.            | T. Mancos.             |
| T. San Andres.          |                | T. Granite.             | T. Dakota.             |
| T. Glorieta.            |                | T.                      | T. Morrison.           |
| T. Drinkard.            |                | T.                      | T. Penn.               |
| T. Tubbs.               |                | T.                      | T.                     |
| T. Abo.                 |                | T.                      | T.                     |
| T. Penn.                |                | T.                      | T.                     |
| T. Miss.                |                | T.                      | T.                     |

#### FORMATION RECORD

| From | To   | Thickness in Feet | Formation                             | From | To | Thickness in Feet | Formation |
|------|------|-------------------|---------------------------------------|------|----|-------------------|-----------|
| 0    | 161  | 161               | Caliche & Surface Sands               |      |    |                   |           |
| 161  | 1322 | 1161              | Red Beds, Sandstone, Shale, Limestone |      |    |                   |           |
| 1322 | 2995 | 1673              | Anhydrite & Salt                      |      |    |                   |           |
| 2995 | 3802 | 807               | Sandstone, Shale, Dolomite            |      |    |                   |           |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED