

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3772 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing December 5, 19 60

OIL WELL: The production during the first 24 hours was 176 barrels of liquid of which 95 % was oil; _____ % was emulsion; 5 % water; and _____ % was sediment. A.P.I. Gravity 32.1 deg.

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico				Northwestern New Mexico			
Rustler							
T. Anhy.	<u>1320'</u>	<u>(+2152')</u>		T. Devonian		T. Ojo Alamo	
T. Salt. (base)	<u>2814'</u>	<u>(+658')</u>		T. Silurian		T. Kirtland-Fruitland	
B. Salt.				T. Montoya		T. Farmington	
T. Yates	<u>2981'</u>	<u>(+491')</u>		T. Simpson		T. Pictured Cliffs	
T. 7 Rivers	<u>3167'</u>	<u>(+305')</u>		T. McKee		T. Menefee	
T. Queen	<u>3526'</u>	<u>(-54')</u>		T. Ellenburger		T. Point Lookout	
T. Grayburg				T. Gr. Wash.		T. Mancos	
T. San Andres				T. Granite		T. Dakota	
T. Glorieta				T.		T. Morrison	
T. Drinkard				T.		T. Penn.	
T. Tubbs				T.		T.	
T. Abo				T.		T.	
T. Penn.				T.		T.	
T. Miss.				T.		T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	186	186	Surface Sands & Caliche				
186	1320	1134	Red Beds, Sand, Shale, Limestone				
1320	2370	1050	Anhydrite				
2370	2740	370	Anhydrite & Salt				
2740	2814	74	Salt				
2814	3772	958	Dolomite, Sandstone, Shale				