



APPROVED  
DEC 13 1963  
E. G. HUBBLE  
DISTRICT ENGINEER

(SUBMIT IN TRIPLICATE)

UNITED STATES

DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYBudget Bureau No. 42-R358.4.  
Form Approved.Land Office Las CrucesFile No. 030557-aUnit J

Dec 17 '63

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT..... <b>X</b>
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farney A-5

November 8, 1963

Well No. 6 is located 1980 ft. from XXX line and 1980 ft. from E line of sec. 5NW/4 SE/4 Sec. 5 23S 36E NMPM  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)NMPU Lee New Mexico  
(Field) (County or Subdivision) (State or Territory)The elevation of the derrick floor above sea level is 3481 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 3860, PB 3705, Elev 3481 DF, Pay Queen 3444-3590. Csg. Pt 5-1/2" at 3860. Perfs 3444-62, 3472-90, 3494-3510, 3530-40, & 3562-90. Well was shut-in incapable of commercial production. Plugging was accomplished in the following manner: Set a 200' cmt plug (25 sx) from 3600 to 3400 covering perfs 3444-3590; mudded hole with 10 lb mud & pulled tbq; removed head, cut & pulled 486' 5-1/2" OD 15.5# S.S. Casing; Ran Tubing and set a 20 sx cmt plug at the top of 5-1/2" csg; Pulled tbq up and set a 30 sx cmt plug across the shoe of the surface pipe which is set at 284'; Pulled tbq out of hole and set a 10 sx cmt plug at surface; Erected 4" marker extending 4' above surface with well name & location inscribed thereon. Location restored to original condition. Plugging started 10-18-63, Comp 10-23-63. Location: 1980' PSL & 1980' FEL.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil CompanyAddress Box 68Eunice, New Mexico

By \_\_\_\_\_

USGS-5 NMOCC-2 ABS File

Title District Superintendent

Pan Am-Hbs-2 Atl-Rosw-2

Calif Oil-Hous. Mid.-1 each