

COPY

N. M. O. C. C.
7 bbsBudget Bureau No. 42-2456.1
Approval expires 11-30-49.

(SUBMIT IN TRIPLICATE)

Land Office Roswell, N. M.

Lease No. LC-029864-B

Unit F

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPROVED

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

December 9, 1951

Well No. 2 is located 1697.5 ft. from ☒ N line and 2310 ft. from ☒ W line of sec. 5NW/4 Sec. 5
(1/4 Sec. and Sec. No.)23-S
(Twp.)36-E
(Range)

(Meridian)

Cooper-Jal
(Field)Lea
(County or Subdivision)New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 3470 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to a total depth of 3900 feet and complete in the Seven Rivers formation in the approximate interval 3800' to 3900'. We propose to set 10-3/4" casing at 250 feet and cement with sufficient cement to fill the annular space from the shoe to the surface. We propose to run 7" casing to a depth of 3900 feet and by using a Halliburton stage collar cement from the shoe of the oil string to the base of the salt and then place 200 sacks of cement through the stage collar at the top of the salt. We propose to drill stem test the Yates section from 3400' to 3700' for gas possibilities. We propose to complete the well in the Seven Rivers formation by perforating the oil string opposite porous sections.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Frebol Oil Company & E. G. Rodman

Address Box 3908

Odessa, Texas

By

M. T. Johnson

Title Engineer

[illegible]

10