

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **1G 030557 (a)**
Unit **J**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 9, 1953

Well No. **2** is located **990** ft. from **NS** line and **1650** ft. from **E** line of sec. **5**
SW/4 SE/4 Sec. 5 **23-S** **36-E**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cooper-Jal **Lea** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3470** ft. **Estimated**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well will be drilled to approximately 3900 feet and completed in the Seven Rivers Formation in the approximate interval of 3800 to 3900 feet by perforating the casing. We will cement 8-5/8" surface casing at approximately 275 feet with sufficient cement to reach the surface. The salt section will be isolated by cementing around shoe of 5 1/2" oil string to base of salt and through Halliburton stage collar at top of salt.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Trebol Oil Company**
Address **Box 3908**
Odessa, Texas

By 
Title **Petroleum Engineer**