

NOTICE OF ASSIGNMENT OF ALLOWABLE TO A GAS WELL

The operator of the following well has complied with all the requirements of the Oil Conservation Division and the well is hereby assigned an allowable as shown below.

Date of Connection \_\_\_\_\_ Date of First Allowable or Allowable Change 2/1/90  
Purchaser XCel Gas Corp. Pool Jalmat  
Operator Hal J. Rasmussen Operating Inc. Lease State A A/c-1  
Well No. #37 #38 Unit Letter H-8-0 FJM Sec. 10 Twp. 23 S Range 36E  
Dedicated Acreage 320 Revised Acreage 520 Difference +200  
Acreage Factor 2.00 Revised Acreage Factor 3.25 Difference +1.25  
Deliverability \_\_\_\_\_ Revised Deliverability \_\_\_\_\_ Difference \_\_\_\_\_  
A x D Factor \_\_\_\_\_ Revised A x D Factor \_\_\_\_\_ Difference \_\_\_\_\_

REVISE ACREAGE PER R-9073

OCD District No. ICALCULATION OF SUPPLEMENTAL ALLOWABLE

| Previous Status Adjustments .....     |         |              |             |             |            | REMARKS  |
|---------------------------------------|---------|--------------|-------------|-------------|------------|--|
| MONTH                                 | % OF MO | PREV. ALLOW. | REV. ALLOW. | PREV. PROD. | REV. PROD. |  |
| April                                 |         |              |             |             |            |  |
| May                                   |         |              |             |             |            |  |
| June                                  |         |              |             |             |            |  |
| July                                  |         |              |             |             |            |  |
| August                                |         |              |             |             |            |  |
| September                             |         |              |             |             |            |  |
| October                               |         |              |             |             |            |  |
| November                              |         |              |             |             |            |  |
| December                              |         |              |             |             |            |  |
| January                               |         |              |             |             |            |  |
| February                              |         |              |             |             |            |  |
| March                                 |         |              |             |             |            |  |
| April                                 |         |              |             |             |            |  |
| May                                   |         |              |             |             |            |  |
| June                                  |         |              |             |             |            |  |
| July                                  |         |              |             |             |            |  |
| August                                |         |              |             |             |            |  |
| September                             |         |              |             |             |            |  |
| October                               |         |              |             |             |            |  |
| November                              |         |              |             |             |            |  |
| December                              |         |              |             |             |            |  |
| January                               |         |              |             |             |            |  |
| February                              |         |              |             |             |            |  |
| March                                 |         |              |             |             |            |  |
| Allowable Production Difference ..... |         |              |             |             |            |  |
| Schedule O/U Status .....             |         |              |             |             |            |  |
| Revised O/U Status .....              |         |              |             |             |            | Effective In Schedule<br>Current Classification To |

Note: All gas volumes are in MCF @ 15.025 psia.

WILLIAM J. LeMAY, DIVISION DIRECTOR

By \_\_\_\_\_