

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-09302
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Lease Name or Unit Agreement Name State A AC 3
2. Name of Operator Clayton Williams Energy, Inc.	8. Well No. 6
3. Address of Operator Six Desta Drive, Suite 3000 Midland, Texas 79705	9. Pool name or Wildcat Langlie Mattix 7 Rvrs Queen GB
4. Well Location Unit Letter J : 1980 Feet From The South Line and 2310 Feet From The East Line Section 10 Township 23S Range 36E NMPM Lea County	

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
3435 GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Work will begin upon OCD Approval

- 09/12/94 Set CIBP @ 2900' w/35' cement on CIBP.
- Load hole w/10 PPG gelled brine from CIBP to surface.
- Spot a 390' (40 sx) cement plug from 390' to surface.
**(Cement was circulated up the 5-1/2 / 8-5/8 annulus to surface in a 1980 workover performed by Texas Pacific Oil Company Inc.)
- Cut all casing off 3' below G.L. Install P & A marker. Cut and remove deadmen. Clear location of all junk.

Plug and Abandon Wellbore

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Robin S. McCarley TITLE Production Analyst DATE 12/05/94
TYPE OR PRINT NAME Robin S. McCarley TELEPHONE NO. 688-3263

(This space for State Use)

APPROVED BY JOHN D. SEXTON TITLE SENIOR VICE PRES DATE DEC 08 1994
CONDITIONS OF APPROVAL, IF ANY: