

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator ARCO Oil and Gas Company Div. of Atlantic Richfield Company	8. Farm or Lease Name King Oil WN Com
3. Address of Operator P. O. Box 1710, Hobbs, New Mexico 88240	9. Well No. 4
4. Location of Well UNIT LETTER F 2000 FEET FROM THE West LINE AND 1980 FEET FROM THE North LINE, SECTION 12 TOWNSHIP 23S RANGE 36E NMPM.	10. Field and Pool, or Whdcat Largue, Matley SR Qm Jalmar Yates Gas
15. Elevation (Show whether DF, RT, GR, etc.) 3412.5' GR	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Propose to P&A well in the following manner:

1. MIRU, NU BOP. POH w/tbg.
2. GIH w/bit to 3702' PBD. Set cmt retr @ 3500'.
3. Cmt squeeze perfs 3538-3691' w/C1 H cmt, amt to be determined by pump-in rate. Dump 5 sx cmt on cmt retr. Circ hole w/9.5#/gal BW cont'g 25#/bbl gel.
4. Spot 100' cmt plug 1280-1380' across 8-5/8" csg shoe.
5. Spot 10' cmt plug @ surface.
6. Cut off WH, install regulation dry hole marker. Clean & level location for abandonment.

RECEIVED
OCT 10 1985
OIL CONSERVATION DIVISION
SANTA FE, NEW MEXICO

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Eddie W. Seay TITLE Dist Drlg Supv. DATE 10/3/85

Eddie W. Seay
Oil & Gas Inspector

APPROVED BY _____ TITLE _____ DATE OCT 7 - 1985

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED
OCT - 4 1985
OFFICE
HOBBS OFFICE