	9-331 a
(Feb	1951)

Г	-		{
l		 	1

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval a pires 12-31-60.
Land Office LC 063977
Lease No. G
Unit

NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RESPIELL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO BABNOOW WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) February 11 19 Vell No. 19 SW./4 NE/4 19 23 5 36 E NAPA (Since and Stor. No.) (Twp.) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is The elevation of the deprick of objective ands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came in points, and all other important proposed work). We propose to drill this well to an approximate total depth of 4000' to less the Yeles-Seven Rivers formation. We will run approximate total depth of 4000' to less the Yeles-Seven Rivers formation. We will run approximate total depth of 4000' to less the Yeles-Seven Rivers formation. We will run approximate total depth of 4000' to less the Yeles-Seven Rivers formation. We will run approximate total depth of 4000' to less the Yeles-Seven Rivers formation. We will run approximate total depth of 4000' to less the Yeles-Seven Rivers formation with 600 sex posmix, 4% gel. 1 understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Corper Building Artesia, New Mexico Vice-President		O DRILL		JBSEQUENT REPORT OF WATER SHUT-OFF JBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE			su	JBSEQUENT REPORT OF ALTERING CASING.	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE. SUBSEQUENT REPORT OF ABANDONMENT. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) February 11 ST. February 11 SWELL NO. SWELL NO. Wildood (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings, indicate mudding jobs, came in proposed work) We propose to drill this well to an approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will run approximate total depth of 4000' to test the Yestes-Seeven Rivers formation. We will	NOTICE OF INTENTION T	O RE-DRILL OR REPAIR WE	LL St		
NOTICE OF INTENTION TO PULL OR ALTER CASING. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF RE	NOTICE OF INTENTION T	O SHOOT OR ACIDIZE	SL		
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) February 11 19 Vell No.1 is located 1980 ft. from No.1 line and 1980 ft. from No.1 line of sec. SW./4 NE/4 19 23 36 F NAPA (Kange) (Meridian) (Kange) (Meridian) (Field) (Country or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sandar, show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme ing points, and all other important proposed work) We propose to drill this well to an experoximate total depth of 4000' to test the Yeates-Seven Rivers formetion. We will run experoximately 300' of 10 3/4s casing and circulate cement to the surface. If production is encountered, we will run and circulate cement to the surface. If production is encountered, we will run 5 1/2s cosing and cement with 600 sex posmix, 4% gel. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Corper Drilling Company, Inc. Address Corper Suilding Artesia, New Mexico	NOTICE OF INTENTION T	O PULL OR ALTER CASING.	SI	UPPLEMENTARY WELL HISTORY	
Corper-Sun-Sectioned February 11 19 Vell No. 1 is located 1980 ft. from Name and 1980 ft					
Corper-Sun-Seaboard February 11 19 19 Well No. 1 is located 1980 ft. from N line and 1980 ft. from W line of sec. NAPM (Reace and Sec. No.) (Reace) Wildcat (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemering points, and all other important proposed work) We propose to drill this well to an approximate total depth of 4000 to test the Years-Seven Rivers formation. We will run approximately 300 of 10 3/4° casing and circulate cament to the surface. If production is encountered, we will run 5 1/2° casing and cement with 600 sex posmix, 4% gel. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Corper Drilling Company, Inc. Artesia, New Mexico By			<u></u>		
Vell No. 1 is located 1980 ft. from Nine and 1980 ft. from Wile of sec. 19 SWA ME/A 19 23 5 36 F NMPM (Range) (Meridian) Mexico Wildcot (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemering points, and all other important proposed work) We propose to drill this well to an approximate to total depth of 4000° to test the Years-Seven Rivers formation. We will run approximately 300° of 10 3/4° cosing and circulate cement to the surface. If production is encountered, we will run 5 1/2° cosing and cement with 600 sex posmix, 4% gel. Lunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Corper Building. Artesia, New Mexico		(INDICATE ABOVE BY	HECK MARK NATURE	E OF REPORT, NOTICE, OR OTHER DATA)	87
Vell No. 1 is located 1980 ft. from No. 1 line and 1980 ft. from W line of sec. 1980 NAPM NAPM NAPM NAPM NAME NAPM NAME	Carper-Sun-	Seaboard		February 11	ر د 19
(2) See, and See, No.) (Twp.) (Range) (Range) (Reade) (Pield) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Pield) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Pield) (County or Subdivision) (State or Territory) (State or Territory) (State or Territory) (Pield) (Pield) (County or Subdivision) (State or Territory) (State or Territ	Vell No. 1	is located 1980	ft. from $\begin{bmatrix} \mathbf{N} \\ \mathbf{S} \end{bmatrix}$	line and 1980 ft. from $\begin{bmatrix} E \\ W \end{bmatrix}$ line	_
Wildcat (Field) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level isft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) We propose to drill this well to an approximate total depth of 4000° to test the Years-Seven Rivers formation. We will run approximately 300° of 10 3/4° casing and circulate cament to the surface. If production is encountered, we will run and circulate cament to the surface. If production is encountered, we will run 5 1/2° casing and cement with 600 sax posmix, 4% gel. Company	SW/4 NE/4		I		
(County or Subdivision) (County of Subdivision) (County or Subdivisio	(1/2 Sec. and Sec. 1	(Twp	·/	New Mexico	
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, come ing points, and all other important proposed work) We propose to drill this well to an approximate total depth of 4000° to test the Yetes-Seven Rivers formation. We will run approximately 300° of 10 3/4° cosing and circulate cement to the surface. If production is encountered, we will run 5 1/2° cosing and cement with 600 sex posmix, 4% gel. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Comper Drilling Company, Inc. By Artesia, New Mexico			(County or Subdi	vision) (State or Territor	·y)
Yates-Seven Rivers formation. The surface. If production is encountered, we will run and circulate cement to the surface. If production is encountered, we will run 5 1/2" casing and cement with 600 sex posmix, 4% gel. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Carper Drilling Company, Inc. Address Carper Building Artesia, New Mexico By			DETAILS C	OF WORK	nudding jobs, ceme
Company Corper Building Address By Marker Ranker Sauke	State names of and expe	cted depths to objective sa ing poi	DETAILS (of WORK ghts, and lengths of proposed casings; indicate no proposed work) and another 4000° to terms	st the
Address Corper Building Artesia New Mexico By Varales Saute	State names of and expe We propose Yetes-Seve and circula 5 1/2" casi	to drill this well n Rivers formation te cement to the s ng and cement wi	DETAILS (and a; show sizes, weignes, and all other in to an approxi . We will resurface. If p	of WORK ghts, and lengths of proposed casings; indicate no proposed work) imate total depth of 4000° to temperately 300° of 10 3/4 reduction is encountered, we work to semix, 4% gel.	st the " casing ill run
Artesia. Now Mexico By Varake Kaute	State names of and expe We propose Yetes-Seve and circula 5 1/2" casi	to drill this well a Rivers formation te cement to the s and cement wi	DETAILS (and a; show sizes, weignes, and all other in to an approxi . We will resurface. If points th 600 sex p	of WORK ghts, and lengths of proposed casings; indicate no proposed work) imate total depth of 4000° to tem imate total depth of 4000° fo 10 3/4 reduction is encountered, we work comix, 4% gel.	st the " casing ill run
### ##################################	State names of and expe We propose Yetes-Seve and circula 5 1/2" casi	to drill this well n Rivers formation te cement to the ng and cement wi	DETAILS (nds; show sizes, weignts, and all other in to an approxi . We will resurface. If p th 600 sex p	of WORK ghts, and lengths of proposed casings; indicate no proposed work) imate total depth of 4000° to tem imate total depth of 4000° fo 10 3/4 reduction is encountered, we work comix, 4% gel.	st the " casing ill run
	We propose Yeles-Seve and circula 5 1/2" casi	to drill this well n Rivers formation te cement to the s ng and cement wi	DETAILS (nds; show sizes, weignts, and all other in to an approxi . We will resurface. If p th 600 sex p	of WORK ghts, and lengths of proposed casings; indicate no proposed work) imate total depth of 4000° to tem imate total depth of 4000° fo 10 3/4 reduction is encountered, we work comix, 4% gel.	st the " casing ill run
. 10 Million of the	We propose Yeles-Seve and circula 5 1/2" casi	to drill this well n Rivers formation te cement to the s ng and cement wi is plan of work must recei Carper Drillin	DETAILS (and a; show sizes, weignes, and all other in to an approxi . We will resurface. If p th 600 sex p we approval in writing Company,	of WORK ghts, and lengths of proposed casings; indicate an approximately 300° of 10 3/4 roduction is encountered, we work whomix, 4% gel.	st the " casing ill run

U. S. GOVERNMENT FRINTING OFFICE 16-8437-6