


DUPLICATE

RECEIVED
SEP 11 1949
HOBBS, NEW MEXICOAREA 640 ACRES
LOCATE WELL CORRECTLYNEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Hobbs, New Mexico

R. G. Clay
Company or Operator **Sinclair State** Well No. **2** in **NV 1** of Sec. **23** T. **23S**
Lease **36E** N. M. P. M. **Langlie-Mattix** Field, **East** **Lea** **West** **Section 23** County.
Well is **1650** feet south of the North line and **2310** feet west of the East line of **B-1506**
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address **Fort Worth, Texas**
The Lessee is **R. G. Clay** Address **9/9/49**
Drilling commenced **8/18/49** 19 _____ Drilling was completed **9/9/49** 19 _____
Name of drilling contractor **Clay & Cackle Contracting Co.** Address **Hobbs, New Mexico**
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **3010** to **3290** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10 3/4	28	8	Natl.	225	Guide				
7 5/8	26	8	Natl.	1235	Guide				
5 1/2	14	8	Natl.	2900	Guide & Float				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3300** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **9/12/49** 19 _____
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours **14,000 MCF** Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. **1300#**

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **16** day of **September**, 19 **49**
E. G. Galante
_____, Hobbs, New Mexico **9/16/49**
Place Date
Name _____
Position **Partner**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20	20	Surface & Caliche
20	200	180	Sand & Gravel
200	1200	100	Red Bed
1200	1290	90	Anhydrite
1290	2720	1430	Salt
2720	2880	160	Anhydrite & Lime
2880	3010	130	Brown Lime
3010	3300	290	Yates Sand