
## EXICO OIL CONSERVATION CC IISSION

## Santa Fe, New Mexico



## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission on its

		Hobi	os, New Mexic	0	November	27, 1945
				ace		Date
inta Fe,	SERVATION Con New Mexico,	OMMISSION,				
entlem <b>e</b> n :	:			·		
Y	ou are hereby	notified that it is o	ur intention to co	mmence the dril	ling of a well to be	known as
ulf Oil	Corporation	on	Alice Padd	ock	Well No. 3	in SE SE
		ny or Operator		Lease		
! Sec	1 Z	2-S , R 37-E	, N. M., P. M.,	Paddock	Field, Lea	County.
	N	The well is	660 feet	(N.) (S.) of th	e South line	and 660 feet
		(Æ.) (W.)	of the East	line of Sou	theast Quarte	r
		(Give directions.)	location from sect	tion or other leg	gal subdivision line	s. Cross out wrong
						t No.
		If patented	land the owner i	s Alice Pac	ldock, et al.	
		Address	Box 1127, M	idland, Texs	18	
		Address				
		The lessee is	Gulf 011 (	Corporation		
AREA	4 640 ACRES	Address	Box 661,	fulsa 2, Okl	ahoma	
e status mmission	of a bond fo	r this well in conf	formance with Ru	le 39 of the G	eneral Rules and	Regulations of the
ommission e propose	of a bond fo is as follows: to use the foll	owing strings of cas	formance with Ru	le 39 of the G	eneral Rules and	Regulations of the
e propose Size of Hole	of a bond fo is as follows: to use the foll  Size of Casing	or this well in conf	formance with Ru	le 39 of the G	eneral Rules and	Regulations of the
mmission e propose Size of Hole	of a bond for is as follows: to use the follows:  Size of Casing 13 3/8"OD	owing strings of cas  Weight Per Foot	formance with Rusing and to land or	r cement them a	eneral Rules and s indicated:  Landed or	Regulations of the
e propose  Size of Hole	of a bond fo is as follows: to use the foll  Size of Casing	owing strings of cas	ing and to land or  New or  Second Hand	r cement them a	eneral Rules and s indicated:  Landed or Comented	Sacks Cement 300 Sax. 1200 Sax 2% Aq
mmission e propose Size of Hole 1/4"	of a bond for is as follows: to use the follows:  Size of Casing 13 3/8"OD	owing strings of cas  Weight Per Foot	ing and to land or  New or  Second Hand  New	r cement them a	s indicated:  Landed or Cemented  Comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq
Size of Hole  1 1/4"  2 1/4"  changes in a first pro	of a bond fo is as follows: to use the foll  Size of Casing 13 3/8"OD 9 5/8"OD 7" OD	owing strings of cas  Weight Per Foot  48# 36#	ing and to land or  New or Second Hand  New  New  New  New	Depth 300 2950 7000	s indicated:  Landed or Comented Comented Comented comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat
Size of Hole  1/4"  1/4"  changes in e first productional in	of a bond for is as follows: to use the follows:  Size of Casing  13 3/8"OD  9 5/8"OD  7" OD  In the above play oductive oil or information:	weight Per Foot  48# 36# 23#  an become advisable gas sand should occ	ing and to land or New or Second Hand New New New New New	Depth 300 2950 7000 before cementing about 7025	s indicated:  Landed or Comented Comented Comented comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat
size of Hole  1/4"  1/4"  changes in a first proditional in proved	of a bond for is as follows: to use the follow	owing strings of cas  Weight Per Foot  48# 36#	ing and to land or New or Second Hand New New New New New	Depth 300 2950 7000	s indicated:  Landed or Comented Comented Comented comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat
size of Hole  1/4"  1/4"  changes in a first proditional in proved	of a bond for is as follows: to use the follows:  Size of Casing  13 3/8"OD  9 5/8"OD  7" OD  In the above play oductive oil or information:	weight Per Foot  48# 36# 23#  an become advisable gas sand should occ	New or Second Hand New New New New Second Hand New New Second Hand New New Second Hand New New Second Hand New New	Depth 300 2950 7000 before cementing about 7025	s indicated:  Landed or Comented  comented  comented  comented  comented  comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat
Size of Hole  1 1/4"  3/4"  changes in a first productional in a proved	of a bond for is as follows: to use the follow	weight Per Foot  48# 36# 23#  an become advisable gas sand should occ	New or Second Hand New New New New Second Hand New New Second Hand Second Hand New Second Hand Sec	Depth 300 2950 7000 a before cementing about 7025 rely yours,	s indicated:  Landed or Comented  comented  comented  comented  comented  comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat
Size of Hole  1/4"  3/4"  changes in a first productional in a proved	of a bond for is as follows: to use the follow	weight Per Foot  48# 36# 23#  an become advisable gas sand should occ	New or Second Hand New New New New Second Hand New New Second Hand New New Second Hand New New Second Hand New Second Hand New New	Depth 300 2950 7000  before cementing about 7025  rely yours, lif 011 Corp	s indicated:  Landed or Comented  comented  comented  comented  comented  comented  comented  comented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat  . We estimate that
mmission e propose  Size of Hole  1/4"  3/4"  changes in first pro ditional in	of a bond for is as follows: to use the foll  Size of Casing  13 3/8"OD  9 5/8"OD  7" OD  In the above plate oductive oil or information:  as follows:	weight Per Foot  48# 36# 23#  an become advisable gas sand should occ	New or Second Hand New New New Second Hand New New Second Hand New New Second Hand New	Depth 300 2950 7000  a before cementing about 7025  rely yours, and oil Corp	s indicated:  Landed or Cemented  Cemented  Cemented  Cemented  cemented  cemented	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat  . We estimate that
ommission e propose  Size of Hole 1/4" 3/4" changes in e first pro ditional in	of a bond for is as follows: to use the foll  Size of Casing  13 3/8"OD  9 5/8"OD  7" OD  In the above plate oductive oil or information:  as follows:	weight Per Foot  48# 36# 23#  an become advisable gas sand should occurrence.	New or Second Hand New New New Second Hand New New Second Hand New New New Second Hand New	Depth 300 2950 7000  a before cementing about 7025  rely yours, and oil Corp	s indicated:  Landed or Cemented  Cemented  Cemented  cemented  cemented  mg or landing casing  feet.  centerion  oration  ompany or Operator  t Superintende  regarding well to	Sacks Cement  300 Sax. 1200 Sax 2% Aq 100 Sax Neat 575 Sax 2% Aq 125 Sax Neat  . We estimate that