

NEW MEXICO OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

7-3-58

APPLICATION FOR DUAL COMPLETION

Field Name		County Lea		Date November 8, 1962
Operator Gulf Oil Corporation		Lease Alice Paddock		Well No. 2
Location of Well	Unit J	Section 1	Township 22-S	Range 37-E

1. Has the New Mexico Oil Conservation Commission heretofore authorized the dual completion of a well in these same pools or in the same zones within one mile of the subject well? YES ☒ NO ☐
2. If answer is yes, identify one such instance: Order No. **MC-1086**; Operator, Lease, and Well No.:

Gulf Oil Corporation Eunice King well no. 19

3. The following facts are submitted:	Upper Zone	Lower Zone
a. Name of reservoir	Paddock	Blinebry
b. Top and Bottom of Pay Section (Perforations)	5175-5200	5600-5670
c. Type of production (Oil or Gas)	Oil	Oil
d. Method of Production (Flowing or Artificial Lift)	Pump	Flow

4. The following are attached. (Please mark YES or NO)
- Yes a. Diagrammatic Sketch of the Dual Completion, showing all casing strings, including size and setting, top of cement, perforated intervals, tubing strings, including diameters and setting depth, location and type of packers and side door chokes, and such other information as may be pertinent.
- Yes b. Plat showing the location of all wells on applicant's lease, all offset wells on offset leases, and the names and addresses of operators of all leases offsetting applicant's lease.
- Yes c. Waivers consenting to such dual completion from each offset operator, or in lieu thereof, evidence that said offset operators have been furnished copies of the application. *
- No d. Electrical log of the well or other acceptable log with tops and bottoms of producing zones and intervals of perforation indicated thereon. (If such log is not available at the time application is filed, it shall be submitted as provided by Rule 112-A.)

5. List all offset operators to the lease on which this well is located together with their correct mailing address.

Humble Oil & Refining Co., Box 2347, Hobbs, New Mexico

M. G. Penrose, Inc., 1815 Fair Building, Fort Worth, Texas

Sinclair Oil & Gas Co., 520 East Brady., Hobbs, New Mexico

Samray Mid-Continent Oil Co., Box 128, Hobbs, New Mexico

Ohio Oil Co., Box 2107, Hobbs, New Mexico

Tidewater Oil Co., Box 547, Hobbs, New Mexico

6. Were all operators listed in Item 5 above notified and furnished a copy of this application? YES ☒ NO ☐ . If answer is yes, give date of such notification **November 8, 1962**

CERTIFICATE: I, the undersigned, state that I am the **Area Production Manager** of the **Gulf Oil Corporation** (company), and that I am authorized by said company to make this report; and that this report was prepared under my supervision and direction and that the facts stated therein are true, correct and complete to the best of my knowledge.

ORIGINAL SIGNED BY
C. D. BORLAND

Signature

- * Should waivers from all offset operators not accompany an application for administrative approval, the New Mexico Oil Conservation Commission will hold the application for a period of twenty (20) days from date of receipt by the Commission's Santa Fe office. If, after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.
- NOTE: If the proposed dual completion will result in an unorthodox well location and/or a non-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

SCHEMATIC DIAGRAM OF PROPOSED DUAL PRODUCTION
 GULF OIL CORPORATION
 ALICE PADDOCK NO. 2
 BLINERY OIL - PADDOCK OIL

7" Csg "H" = 11'

DF Elev = 3356'

13-3/8" OD 48# 8 RT Csg @ 312'
 Cmtd w/300 sx. Circ.

312'

9-5/8" OD 36# 8 RT Csg @ 2966'
 Cmtd w/1300 sx. TS Top @ 1550'

2966'

2-3/8" OD 4.7# EUE J-55 8 RT Tubing

2-3/8" OD 4.7# EUE J-55 8 RT Tbg in
 long string above "FA" packer

SN @ approx 5095'

Parallel string anchor @ approx 5100'

Top of liner @ approx 5125'

7" OD 23# 8 RT Csg @ 5157'. Cmtd w/
 400 sx. TS Top @ 3415'

5157'

Paddock Perfs approx 5175-5200'

Receptacle seal assembly
 Baker Model "FA" Prod packer @
 approx 5575'

SN @ approx 5610'

Blinery perfs approx 5600-5670'

CV @ 5640'

BPOB at
 approx 5670'

2" OD 3.40# J-55 NU Buttress thd tbg
 (w/2.250" OD Sp. Cl. N-80 cplgs) below
 packer

5700'

4 1/2" OD 11.6# N-80 liner @ 5700'. Cmtd
 to top

