		~	
NEV	W M LICO OIL CONSERVAT	ION COM SSION	MEREN
	Santa Fe, New Mexic	0	JAN 3 1946
nan 1 - Euro Vien Corris in ann an Airreann an Airreann an Airreann an Airreann an Airreann an Airreann an Air	NOTICE OF INTENTION		IN JAN IO
	NOTICE OF INTENTION		INEDER L
	Oil Conservation Commission or its pr posed plan are considered advisable, a nit this notice in triplicate. One copy y gulations of the Commission.	conv of this notice chowing	
	Midland, Texas	January 4.	1946
OIL CONSERVATION CONS	Place		Date
OIL CONSERVATION COMM Santa Fe, New Mexico,	18810N,		
Gentlemen:			
You are hereby notif	ied that it is our intention to commend	es the drilling of a well to (Lse. #37
Humble Oil & Refining	Company N. M. State "S"	well to	e known as
Company or	· Operator Leas	20	
of Sec. 2 , T 22-S	, R 37-E , N. M., P. M., Pade	dock Field Lee	County
N	The well is 1980 feet (N.)		
	Æ.) (W.) of the East line		
	(Give location from section or directions.)	other legal subdivision lin	es. Cross out wrong
	If state land the oil and gas lease is	s NoAssignme	ent No.
	If patented land the owner is	·	
	If patented land the owner is		
	If patented land the owner is Address If government land the permittee	is	
	If patented land the owner is Address If government land the permittee Address	is	
	If patented land the owner is Address If government land the permittee Address The lessee is Humble Oil & I	isRefining Company	
ARFA 640 ACRES	If patented land the owner is Address If government land the permittee Address The lessee is Humble Oil & I Address	is Refining Company Widland, Texas	
AREA 640 ACRES LOCATE WELL COBRECTLY	If patented land the owner is Address If government land the permittee Address The lessee is Address We propose to drill well with drilling	is Refining Company Widland, Texas	

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
13-1/4" 9-7/8" 6-3/4"	10-3/4" 7-5/8" 5-1/2"	40.5# 26.4# 14#	New 11	300* 2800* 5500*	Cemented "	300 Sx. 1800 Sx. 500 Sx.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 5500 feet. Additional information:

vn - 5 - , 194 Approved_ except as follows:

OIL CONSERVATION COMMISSION,

Uil & Cas Inspector

By/

Title

Sincerely yours,

Humble Oil & Refining Company Company or Operator

By

Position Division Superintendent

Send communications regarding well to

Name J. W. House

Address Box 1600, Midland, Texas

1 - 1 is the second second

$(-1) = C_{1} + (-1) + C_{1} + (-1) + C_{2} + (-1) + C_{1} + (-1) + C_{2} + (-1) + (-1) + C_{2} + (-1) +$

an an an Araba. Ar an Araba

•

and and a second se Second second

£ .

. .

•

The second secon

. .

