


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Humble Oil And Refining Co. **Box 2122, Houston 1, Texas**
Company or Operator Address
N. M. State Well No. **14** in **NW 1/4** of Sec. **8**, T. **7-22-N**
Lease
R. **2-27-2**, N. M. P. M., **Padlock** Field, **Los, New Mexico** County.
Well is **800** feet south of the North line and **800** feet **East** of the **East** line of **NW 1/4** of Sec. **8**
If State land the oil and gas lease is No. Assignment No.
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is **Humble Oil And Refining Co.** Address **Box 2122, Houston 1, Tex.**
Drilling commenced **3-25-47** 19 Drilling was completed **4-22-47** 19
Name of drilling contractor **McQueen & Clevenger** Address **Ft. Worth, Texas**
Elevation above sea level at top of casing **5350** feet.
The information given is to be kept confidential until **None** 19

OIL SANDS OR ZONES

No. 1, from **5040** to **San Angelo** No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **None** to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8"	58.0	8-7	Natl.	209.85	Hall.		6448	6492	
7 5/8"	24.40	Extrem	"	2549.89	"		6495	6445	
5 1/2"	15.5	8-2	Rep.	1597.80	"		5085	5120	Pay Zone
5 1/2"	14.0	8-2	"	5037.85	"		5125	5125	"
							5125	5120	"

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
1 1/2"	8 5/8"	534	225	Hall.		
2"	7 5/8"	2565	738	"		
2 1/2"	5 1/2"	6448	800	"		

PLUGS AND ADAPTERS

Heaving plug—Material **None** Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Chem. Pro. 10%	2000 Gal.	4-22-47	6448-6534	
		Dowell. 10%	500 "	5-2-47	6450-6492	
		Western 10%	500 "	5-4-47	6455-6445	
		Chem. Pro. 10%	1500 "	5-9-47	5085-5120	

Results of shooting or chemical treatment **Satisfactory**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **6534** feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing **May 10, 1947**, 19
The production of the first 24 hours was **1184** barrels of fluid of which **710** % was oil; %
emulsion; % water; and % sediment. Gravity, Be. **27.8**
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in. **Tubing Pressure 360#, Casing Pressure 400#**

EMPLOYEES

Williams, Driller **Campbell**, Driller
Sperry, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **22nd**

day of **May**, 19**47**

W. Ruth Smith
Notary Public

My Commission expires **6-1-47**

Midland, Texas **May 22, 1947**

Name **[Signature]**

Position **Assistant Division Superintendent**

Representing **Humble Oil & Refining Co.**

Company or Operator

Address **Box 1600, Midland, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	310		Caliche
310	380		Red Rock
380	1000		Red Red
1000	1500		Anhy., Salt
1500	2268		Salt, Anhy.
2268	3452		Anhy.
3452	3545		Anhy. Lime
3545	4238		Lime
4238	4862		Lime & Sand
4862	6834		Lime