


NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico



MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL
REPORT ON RESULT OF TEST OF CASING CHEMICAL TREATMENT OF WELL XX	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	

August 16, 1940

Hobbs, New Mexico

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corp.-Gypsy Prodn. Division Mark Well No. 1 in the
Company or Operator Lease

NW NE of Sec. 3, T. 22S, R. 37E, N. M. P. M.,

Penrose Field, Lea County

The dates of this work were as follows: Acidized July 20, 1940

Notice of intention to do the work was (was not) submitted on Form C-102 on 19 and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Acidized with 2,000 gals Dowell X acid on July 20, 1940. 10 gals heavy jelly seal spotted on bottom, acid flushed with 15 bbls oil.

Production before: Swabbed 8 3/4 bbls oil in 6 hours thru 2" tubing, very little gas.

Production after: Swabbed 6 1/4 bbls oil in 5 hours thru 2" tubing, very little gas.

Witnessed by Ira Van Tuyl Gulf Oil Corporation Asst. Dist. Engineer
Name Company Title

Subscribed and sworn to before me this

16th day of August, 1940

J. W. Garner
Notary Public

My Commission expires February 25, 1942

I hereby swear or affirm that the information given above is true and correct.

Name Roy Yankrough

Position District Superintendent

Representing Gulf Oil Corp.-Gypsy Prodn. Div.
Company or Operator

Address Hobbs, New Mexico

Remarks:

Roy Yankrough
Name
OIL & GAS INSPECTOR
Title

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

AUG 1 1940
HOBBS OFFICE

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING ON CEMENT TREATMENT OF WELL	XX	REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico

August 16, 1940

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corp-Gypsy Prodn. Division Mark _____ Well No. **1** in the
Company or Operator Lease

NW NE of Sec. **3**, T. **22S**, R. **37E**, N. M. P. M.,

Penrose Field, **Lea** County

The dates of this work were as follows: **Shot July 27, 1940**

Notice of intention to do the work was (was not) submitted on Form C-102 on _____ 19____
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Shot, July 27, 1940, with 150 qts S.M.G. in 4" shells from 3670' to 3730', tamped with broken brick and 50' of pea gravel and hole filled to top with oil.

Production before: Swabbed 6 1/4 bbls oil in 5 hours thru 2" tubing, very little gas.

Production after: Unable to make flow, no swabbing test.

Witnessed by **C. C. Cummings** **Gulf Oil Corporation** **District Superintendent**
Name Company Title

Subscribed and sworn to before me this
16th day of **August**, 19 **40**

J. W. Garner
Notary Public

My Commission expires **February 25, 1942.**

I hereby swear or affirm that the information given above is true and correct.

Name *C. C. Cummings*

Position **District Superintendent**

Representing **Gulf Oil Corp-Gypsy Prodn. Div.**
Company or Operator

Address **Hobbs, New Mexico.**

Remarks:

Roy Yorkrough
OIL & GAS INSPECTOR
Name

Title

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL XX	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	

Hobbs, New Mexico

August 18, 1940

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the
Gulf Oil Corp-Gypsy Prodn. Div. **Mark** Well No. **1** in the
Company or Operator Lease

NW NE of Sec. **3**, T. **22S**, R. **37E**, N. M. P. M.,
Penrose Field, **Lea** County

The dates of this work were as follows: **Acidized August 9, 1940**

Notice of intention to do the work was (was not) submitted on Form C-102 on _____ 19_____
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Acid treated, August 9, 1940, with 4,000 gals Dowell X acid. Hole loaded with oil and acid flushed with 25 bbls oil.

Production before: Unable to make flow, no swabbing test.

Production After: Pumped 4 bbls oil in 3 hours after having pumped 12 hours. Gas estimated at 35,000 cu. ft.

Witnessed by **Glenn Stach** **Gulf Oil Corporation** **Field Foreman**
Name Company Title

Subscribed and sworn to before me this
16th day of **August**, 19 **40**

J. W. Garner
Notary Public

My Commission expires **February 25, 1942.**

I hereby swear or affirm that the information given above is true and correct.

Name *W. C. Cummings*

Position **District Superintendent**

Representing **Gulf Oil Corp-Gypsy Prodn. Div.**
Company or Operator

Address **Hobbs, New Mexico.**

Remarks:

Ray Yarbrough
Name
OIL & GAS INSPE
Title

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF 5 1/2" XX	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	

Hobbs, New Mexico.

July 16, 1940.

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.
Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corp-Gypsy Prodn. Division **Mark** Well No. **1** in the
Company or Operator Lease

NW NE of Sect. **3**, T. **22S**, R. **37E**, N. M. P. M.,

Penrose Field, **La** County

The dates of this work were as follows: **Cemented July 13, 1940.** **Tested July 15, 1940**

Notice of intention to do the work was ~~(was not)~~ submitted on Form C-102 on **July 15, 1940** 19
and approval of the proposed plan was ~~(was not)~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

The hole was washed down, the casing tested with 1200# pressure applied for 30 mins., the plug drilled and the hole tested with 1200# pressure applied for 30 mins., both tests were OK and after approval of Mr. Yarbrough, State Oil and Gas Inspector, preparations were made to drill ahead.

Witnessed by **V. M. Roe** **Gulf Oil Corporation** **Rotary Foreman**
Name Company Title

Subscribed and sworn to before me this

16th day of **July**, 19 **40**

Catricia P. Honey
Notary Public

My Commission expires **3-24-43**

Remarks:

I hereby swear or affirm that the information given above is true and correct.

Name **Ray Yarbrough**

Position **District Superintendent**

Representing **Gulf Oil Corp-Gypsy Prodn. Div.**
Company or Operator

Address **Hobbs, New Mexico**

Ray Yarbrough
Name
OIL & GAS INSPECTOR
Title

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	5 1/2"	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS			NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL			
NOTICE OF INTENTION TO DEEPEN WELL			NOTICE OF INTENTION TO PLUG WELL

Hobbs, New Mexico

July 15, 1940

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the Gulf Oil Corporation -
Gypsy Prodn. Division Mark Well No. 1 in NW NE
 Company or Operator Lease
 of Sec. 3, T. 22S, R. 37E, N. M. P. M., Penrose Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

July 13, 1940, the 5 1/2" OD NEW S.S. casing was cemented in line at 3573'9" with 150 sax 4% Aquagel cement and 50 sax common cement by the Halliburton Cementing Process.

Propose to drill plug and test at 1:30 PM, July 15, 1940.

Approved _____, 19____
 except as follows:

OIL CONSERVATION COMMISSION,
 By Roy Garbrough
 OIL & GAS INSPECTOR
 Title _____

Gulf Oil Corporation - Gypsy Prodn. Div.

Company or Operator

By C. C. CummingsPosition District Superintendent

Send communications regarding well to

Name C. C. CummingsAddress Hobbs, New Mexico.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELL

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut-offs, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERATIONS	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF 9 5/8"	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	

HOBB'S OFFICE

Hobbs, New Mexico

July 1, 1940

Place

Date

OIL CONSERVATION COMMISSION
Santa Fe, New Mexico.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Gulf Oil Corp-Gypsy Prodn. Div. **Mark** Well No. **1** in the

Company or Operator

Lease

NW NE

of Sec. **3**

T.

22S

, R.

37E

, N. M. P. M.,

Penrose

Field,

Lea

County

The dates of this work were as follows: **Cemented June 29, 1940.** **Tested June 30, 1940**

Notice of intention to do the work was ~~(was not)~~ submitted on Form C-102 on **June 29,** 19**40**
and approval of the proposed plan was ~~(was not)~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

The hole was washed down, the casing tested with 1200# pressure applied for 30 mins., the plug drilled and the hole tested with 1200# pressure applied for 30 mins., both tests were OK and after approval of Mr. Yarbrough, State Oil and Gas Inspector, preparations were made to drill ahead.

Witnessed by	Glenn Stach	Gulf Oil Corporation	Field Foreman
	V. M. Roe	Gulf Oil Corporation	Rotary Foreman
	Name	Company	Title

Subscribed and sworn to before me this

1st day of **July**, 19**40**

J. W. Gamm

Notary Public

My Commission expires **February 25, 1942.**

I hereby swear or affirm that the information given above is true and correct.

Name *Ray Yarbrough*

Position **District Superintendent**

Representing **Gulf Oil Corp-Gypsy Prodn. Div**
Company or Operator

Address **Hobbs, New Mexico.**

Remarks:

Ray Yarbrough

Name

OIL & GAS INSPECTOR

DUPLICATE

NEW

MEXICO OIL CONSERVATION COM.

SION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

JUL 1 - 1940

Submit this notice in triplicate to the Oil Commission or its proper agent before the work specified herein begins. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commissioner or agent, of the plan submitted. The plan as approved should be followed and no work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF 9 5/8" XX	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL
NOTICE OF INTENTION TO CHANGE PLANS	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING
NOTICE OF INTENTION TO REPAIR WELL	
NOTICE OF INTENTION TO DEEPEN WELL	NOTICE OF INTENTION TO PLUG WELL

Hobbs, New Mexico

June 29, 1940

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the Gulf Oil Corporation -
Gypsy Prodn. Div. **Mark** Well No. **1** in **NW NE**
 Company or Operator Lease
 of Sec. **3**, T. **22S**, R. **37E**, N. M. P. M., **Penrose** Field,
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Started drilling June 28, 1940.

June 29, 1940, the 9 5/8" OD NEW Armaco Spiral Weld Slip Joint Steel Casing was cemented in red bed at 250'7" with 250 sax Common Cement and 200# Calcium Chloride by the Halliburton Cementing Process. Cement circulated in the cellar.

Propose to drill plug and test at 3:30 PM June 30, 1940.

JUL 1 1940

Approved _____, 19____
except as follows:

Gulf Oil Corporation - Gypsy Prodn. Division
Company or Operator

By C. C. Cummings

Position District Superintendent

Send communications regarding well to

Name C. C. Cummings

Address Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By Ray Garthrough

Title OIL & GAS INSPECTOR