

COUNTY	LEA	FIELD	Tubb/Wantz-Abo	STATE	NM	OWWO
OPR	SHELL OIL COMPANY					MAP
4 Rinewalt						
Sec. 4, T-22-S, R-37-E					CO-ORD	
760' fr N Line & 1980' fr W Line of Sec.						
Re-Spd 5-11-65						
Re-Cmp 6-1-65 (T & Abo)						
CSG & SX - TUBING		FORMATION	DATUM	FORMATION	DATUM	EL
13 3/8"	294'	350				
8 5/8"	2801'	1300				
5 1/2"	7750'	600				
LOGS		EL	GR	RA	IND	HC
TD 7957', PBD 7375'						

IP Tubb Perfs 6003-6221' CASE 1170 MCFGPD.

IP Abo Perfs 6759-7084' Flwd 96 BOPD + 10 BW. Pot. Based on
17 hr test of 48 BO + 10 BW thru 20/64" chk., TP 140#,
Gravity 37.8.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP. DEPTH	TYPE
DATE		

F.R.C. 7-29-65; OWWO
Orig. comp from McKee perfs 7402-39', OTD
7957'.
7-26-65 TD 7957', PBD 7375', COMPLETED.
Set CIBP @ 7375' to shut off perfs 7402-39'.
Spotted 750 gals acid
Perf (Abo) @ 6759', 6761', 6770', 6771',
6783', 6803', 6814', 6825', 6826', 6830',
6847', 6854', 6856', 6865', 6867', 6876', 6879',
6883', 6885', 6895', 6901', 6905', 6909', 6915',
6925', 6929', 6969', 6984', 6985', 7012', 7013',
7024', 7027', 7031', 7034', 7039', 7066', 7070',
7076', 7084' W/1 SPI
Ac. 5000 gals. 6759-7084'.

7-26-65

Continued

Perf (Tubb) @ 6008', 6017', 6021', 6031',
6037', 6041', 6041', 6071', 6083', 6087',
6095', 6104', 6111', 6111', 6120', 6149',
6151', 6157', 6167', 6172', 6180', 6185',
6190', 6193', 6207', 6213', 6221' W/1 SPI
Frac 21,000 # 12" oil + 21,000# sd. 6008-
6221'