


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



DUPLICATE

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

January 9, 1947

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Skelly Oil Company E. A. Sticher Well No. 4 in NW/4 SW/4
Company or Operator Lease
 of Sec. 4, T. 22S, R. 37E, N. M. P. M., Brunson Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Drilled to TD 160' and ran and cemented string of 13-3/8" OD casing at 156' with 150 sacks of cement. Cement circulated back to surface. Will let set 48 hours and on January 10, 1947, at approximately 10:30 o'clock A.M., will drill plug and test casing shut-off.

Approved JAN 11 1947, 19____
 except as follows:

OIL CONSERVATION COMMISSION,

By Ray YunkeroughTitle Oil & Gas Inspector

SKELLY OIL COMPANY

Company or OperatorBy J. A. DunbarPosition Dist. Supt.

Send communications regarding well to

Name Skelly Oil CompanyAddress Drawer "D"Hobbs, New Mexico

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

JAN 3 1947
RECEIVED
HOBBBS OFFICE

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico December 27, 1946
Place Date


OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Skelly Oil Company E. A. Sticher Well No. 4 in NW/4 SW/4
Company or Operator Lease

of Sec. 4, T 22S, R 37E, N. M., P. M., Brunson Field, Lea County.



The well is 8130 feet (N.) of the S. line and 810 feet (E.) of the W. line of Section 4-22S-37E.

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is Edward A. Sticher

Address Eunice, New Mexico

If government land the permittee is

Address

The lessee is Skelly Oil Company

Address Tulsa, Oklahoma

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary tools from top to total depth.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
16"	13-3/8"	36#	New	160'	Cemented	175
11"	9-5/8"	36#	New	2850'	Cemented	1400
8 1/2"	7"	25#	New	8000'	Cemented	450

In cementing above casing Halliburton Process will be used. Cement will be circulated back to bottom of cellar on first two strings.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about feet.

Additional information: This well is located 150' Northeast of Well No. 2 on this lease, which has a total depth of 3721'.

JAN 3 1947

Approved _____, 19____
except as follows:

Sincerely yours,

SKELLY OIL COMPANY
Company or Operator

By J. A. Sticher
Position DIST. SUPT.

Send communications regarding well to

Name Skelly Oil Company

Address Drawer "D", Hobbs, N. M.

OIL CONSERVATION COMMISSION,

By Roy Yerkovich
Title Oil & Gas Engineer

100-100000-100000
100-100000-100000
100-100000-100000

111

111