

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION

**3-MSOCC**  
**1-Mr. E. H. Shuler - Houston**  
**1 - Mr. J. E. Pierce - Midland**  
**1-File**

5a. Indicate Type of Lease  
State  Fee

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>GEMTY OIL COMPANY</b>	8. Farm or Lease Name <b>R. L. CLIFTON</b>
3. Address of Operator <b>P.O. BOX 249, MORRIS, NEW MEXICO 88240</b>	9. Well No. <b>2</b>
4. Location of Well UNIT LETTER <b>M</b> , <b>660</b> FEET FROM THE <b>South</b> LINE AND <b>810</b> FEET FROM THE <b>WEST</b> LINE, SECTION <b>4</b> TOWNSHIP <b>22-S</b> RANGE <b>37-E</b> NMPM.	10. Field and Pool, or Wildcat <b>PADDOCK</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3442 D.F.</b>	12. County <b>LKA</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

**PBTD @ 6380'. Tagged fill-up @ 6324'. Ran Gamma Ray-Acoustic-Collar Log from 6324' back to 5000' and 3900' back to 3400'. Ran Neutron Lifetime Log over same intervals. Ran bit and casing scraper to 5775'. Set cast-iron bridge plug at 5770'. Dumped 10' cement on top of plug. PBTD @ 5760'. Perforated 5-1/2" casing 5038-66, 5140-44, 5838-64, 5167-70, 5210-20, 5227-28, 5233-38, 5264-68, 5274-78 and 5284-88' with one jet per foot. Hole was loaded with 50-50 brine prior to perforating. Swabbed dry. Treated perforations with 5,000 gals. 15% HCl acid in 10 - 500 gal. stages and with 1500 Benzoid Acid diverter per stage. Maximum pressure 2600#, minimum 2300#, average rate 4 BPM. Swabbed back lead, and in 10 hours, swabbed 206 BW with trace of oil. Shut well in. Investigating possible completion in Blinbery Gas Zone.**

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.  
ORIGINAL SIGNED BY:  
**C. L. Wade** TITLE **AREA SUPERINTENDENT** DATE **November 4, 1971**

APPROVED BY: **Joe D. Ramey** TITLE **Dist. I, Supv.** DATE **NOV 8 1971**

CONDITIONS OF APPROVAL, IF ANY:


WLG/bh

RECEIVED

FEB 10 1971

OIL CONSERVATION COMM.

NOV 10 1970



**LTR**



**Job separation sheet**

Handwritten notes at the top of the page, possibly a title or introductory text, which is mostly illegible due to blurriness.

Handwritten notes in the upper middle section of the page.

Handwritten notes in the middle section of the page.

Handwritten notes in the lower middle section of the page.

Handwritten notes in the lower section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

Handwritten notes in the bottom section of the page.

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

3-NMOCC  
1-File

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease  
State  Fee

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>GETTY OIL COMPANY</b>	8. Farm or Lease Name <b>R. L. CLIFTON</b>
3. Address of Operator <b>P.O. BOX 249, HOBBS, NEW MEXICO 88240</b>	9. Well No. <b>2</b>
4. Location of Well UNIT LETTER <b>M</b> <b>660</b> FEET FROM THE <b>SOUTH</b> LINE AND <b>810</b> FEET FROM THE <b>WEST</b> LINE, SECTION <b>4</b> TOWNSHIP <b>22-S</b> RANGE <b>37-E</b> NMPM.	10. Field and Pool, or Wildcat <b>BLINEBRY OIL</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3442 D.P.</b>	12. County <b>LEA</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

**WELL HAS BEEN NIO SINCE FEBRUARY, 1971. It is proposed to plug off the Blinebry and complete in the Paddock as follows:**

1. Run Neutron Lifetime Acoustilog and Collar Log.
2. Set 5-1/2 CIBP above Blinebry and dump 10' Cement on Top.
3. Perforate Paddock as per Log interpretations.
4. Treat perforations with 1,000 gal. acid.
5. Swab acid water back, run 2" completion tubing and packer.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

ORIGINAL SIGNED BY  
C. L. Wade

SIGNED \_\_\_\_\_ TITLE **AREA SUPERINTENDENT** DATE **10-6-71**

Orig. Signed by  
Joe D. Ramey  
Dist. I, Supv.

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE **OCT 7 1971**

CONDITIONS OF APPROVAL, IF ANY:

WLG/bh

RECEIVED

OCT - 6 1971

OIL CONSERVATION COMM.  
HOBBS, N. M.