

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

OCT 24 1947

HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		Report on Plug Back	X

October 23, 1947 Hobbs, New Mexico

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Gulf Oil Corporation

Baker

Well No. 3

in the

Company or Operator

Lease

NE SE

of Sec. 5

T. 22S

R. 37E

N. M. P. M.,

Drinkard

Field,

Lea

County.

The dates of this work were as follows: Started September 18, 1947; Completed October 11, 1947.

Notice of intention to do the work was ~~(SEE PAGE)~~ submitted on Form C-102 on September 18, 1947 and approval of the proposed plan was ~~(SEE PAGE)~~ obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Lane Wells bridging plug set at 6485'. Plug would not hold. Another Lane Wells bridging plug set at 6476'. Perforated 7" casing at 6435' to 6475' W/6 15/32" H.P.F. by Lane Wells. Acidized W/500 gal By Chemical Process. Injection time 10 min. duration 30 minutes. Oil not obtained in commercial quantities. Acidized w/2000 gal. by C.P. Injection time 29 min. duration 45 min. Acidized with 5000 gal by C.P. Injection time 52 min. duration 1 hr and 15 min. Connect to outside gas. Lane Wells packer set at 6270' and five Merla type "W" Flow valves spaced in well. Well flowed 35 bbls oil and no water in 24 hours.

Witnessed by N. B. Jordan Gulf Oil Corporation Foreman
Name Company Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct.

23rd day of October, 1947

Name E. J. Gallagher

Position District Sup't.

Representing Gulf Oil Corporation
Company or Operator

My commission expires 10-24-49

Address Box 1667, Hobbs, New Mexico

Remarks:

APPROVED
OCT 24 1947

H. G. O. Yarbrough
Name
Oil & Gas Inspector