

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

LANDRETH PRODUCTION CORP.,

BOX 2077, FORT WORTH, TEXAS

J. W. GRIZZELL

Company or Operator

Address

Well No. 4

SW 1/4

Sec. 5

22-S

Lease

R. 37-N, N. M. P. M.,

TANOH

Field

TAN

County

Well is 600 feet south of the North line and 600 feet west of the East line of SW 1/4 of SW 1/4

If State land the oil and gas lease is No.

Assignment No.

If patented land the owner is J. W. GRIZZELL

Address

MUNIC, NEW MEXICO

If Government land the permittee is

Address

The Lessee is LANDRETH PROD. CORP.,

Address

FORT WORTH, TEXAS

Drilling commenced Aug. 12, 1937

Drilling was completed

SEPT. 13th,

19 37

Name of drilling contractor HENSHACK DRILLING CO.,

Address

DALLAS, TEXAS

Elevation above sea level at top of casing 3440 feet.

The information given is to be kept confidential until

X

19

## OIL SANDS OR ZONES

No. 1, from 3710 to 3745

No. 4, from to

No. 2, from 3750 to 3780

No. 5, from to

No. 3, from to

No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
10 3/4" OD	32.75	10	So Pan	265'	None			To Shut Off Surface Water
7" OD	22 1/2	10	Youngstown	3430'	Texas Pattern			Producing String

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	10 3/4"	265	200	Halliburton		
8 1/4"	7"	3430	600	Halliburton		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 3700 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing Sept. 13th, 1937, 19

The production of the first 24 hours was 144 barrels of fluid of which 100 % was oil; %

emulsion; 0 % water; and 2/10 % sediment. Gravity, Be 35-36

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

## EMPLOYEES

W. L. PAYNE

Driller

BILL MORRIS

Driller

E. L. COOK

Driller

Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 14th day of Sept., 1937, at ODESSA, TEXAS, SEPT. 14th, 1937

day of Sept., 1937

Name

S. L. Neal

Position

SUPERINTENDENT

In and For Bower County, Texas

Notary Public.

Representing

LANDRETH PROD. CORP.

Company or Operator

My Commission expires June 1st, 1939

Address Box 1148, Odessa, Texas

CHINESE MASS

FROM	TO	THICKNESS IN FEET	FORMATION
0	92	92	Surface Soil
92	102	10	Sand and Gravel
102	391	289	Red Rock
391	1064	673	Red Bed and Shells
1064	1203	139	Red Bed and Anhy
1203	1245	42	Anhydrite
1245	1273	28	Salt anhydrite and shells
1273	1410	137	Salt and Shells
1410	1440	30	Broken Salt
1440	1570	130	Salt and Anhy
1570	1576	6	Salt and Broken Salt
1576	2440	884	Salt and Anhy.
2440	2543	103	Salt and Anhy.
2543	2623	80	Anhydrite
2623	2632	9	Anhydrite
2632	2753	121	Salt and Anhy. Shells
2753	2845	92	Salt
2845	3073	228	Salt and Anhy.
3073	3104	31	Salt
3104	3780	676	Salt