


N.

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

LANDRETH PRODUCTION CORPORATION

BOX 2077, FORT WORTH, TEXAS

Company or Operator

Address

Laura Grizzell Brenan Well No. 2 in SE 1/4 - NE 1/4 Sec. 8, T. 22-S

Lease

R. 37-E, N. M. P. M. PENROSE Field, LEA County.

Well is 660 feet south of the North line and 1900 feet East of the East line of SE 1/4 of NE 1/4

If State land the oil and gas lease is No. Private Assignment No.

If patented land the owner is Laura Grizzell Brenan Address Eunice, New Mexico

If Government land the permittee is Address

The Lessee is LANDRETH PRODUCTION CORPORATION Address FORT WORTH, TEXAS

Drilling commenced November 2 10 19 37 Drilling was completed December 2 4 19 37

Name of drilling contractor HERSCHEBACK DRILLING CO. Address DALLAS, TEXAS

Elevation above sea level at top of casing 3427 feet.

The information given is to be kept confidential until 19

## OIL SANDS OR ZONES

No. 1, from 3465 to 3470 (Gas Show) 4, from to

No. 2, from 3662 to 3710 (Pay) No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
10-3/4"	40#	8	Youngs-town	281'	None	None	None	None	Surface Pipe
7"	22#	10	Youngs-town	3400	Baker	"	"	"	Oil String

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	10-3/4"	281'	200	Halliburton		
8-1/4"	7"	3400	600	"		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 3730 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing 19

The production of the first 24 hours was barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

## EMPLOYEES

S. L. Payne

S. E. Jackson

Driller

Driller

Tom Rives

Driller

Driller

## FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 13th

day of December 19 37

In and for Ector County, Texas

My Commission expires June 1, 1939

Odessa, Texas

Dec. 13, 1937

Place

Date

Name

Position

Representing

Address

Landreth Production Corp.

Box 1145, Odessa, Texas

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	140	140	Red Rock
140	455	315	Red Bed - Shells
455	733	278	Red Bed
733	814	81	Red Bed - Shells
814	987	173	Red Rock - Shells
987	1145	158	Red Rock
1145	1235	90	Anhydrite
1235	1285	50	Broken Anhydrite
1285	1318	33	Broken Anhydrite - Salt
1318	1580	262	Salt - Shells
1580	1735	155	Salt - Anhydrite
1735	1967	232	Salt - Anhydrite - Shells
1967	2132	165	Salt - Shells
2132	2235	103	Salt - Anhydrite
2235	2400	165	Salt - Anhydrite - Shells
2400	2420	20	Salt
2420	2762	342	Anhydrite
2762	2887	125	Anhydrite - Lime
2887	3730	843	Lime
T. D. - 3730			
Pay - 3662 - 3710			
3465 - 3470 - Gas Showing			