FO	RМ	C-105

· · .

1

1.011.31.0.(100)	
N	NEW MEXICO OIL CONSERVATION COMMISSION
	Santa Fe, New Meximp POPII 1
	WELL RECORD
X	Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE,
AREA 640 ACRES LOCATE WELL CORRECTLY Shell Petroleum Corp	oration Hobbs, N.M. Address
L. E. Grizzell w	ntor Address /ell No. 3 in SE/4 of Sec. 8 , T 223
R. 37E N. M. P. M.	Penrose Field. County.
• • •	NoAssignment No
	•, Address
If Government land the permittee :	is, Address,
The Lessee is L. E. Uri	zzell, Address
Drilling commenced 10-9	1938 Drilling was completed 11-8 1938
Name of drilling contractor	G. prig. Co. Address Odessa, Texas
Elevation above sea level at top of o	
The information given is to be kept	confidential until Not Confidental 19
	OIL SANDS OR ZONES

No. 1, from 3655 3700	No. 4, fromto
No. 2, fromtoto	No. 5, fromto
No. 3, from	No. 6, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No.	1,	from None	to	feet
No.	2,	from	to	feet
No.	3,	from	to	feet
No.	4,	from	to	feet

CASING RECORD

	WEIGHT	THREADS			KIND OF	CUT & FILLED	UT & FILLED PERFORATED	RATED	PURPOSE
SIZE	PER FOOT	PER INCH	MAKE	AMOUNT	SHOE	FROM -	FROM	то	
8 5/8	28 ¥		Pitts	1158	Float				unfoas
58	14	10	Theel	3559					Froduction
								·	
								· · · · · · · · · · · · · · · · · · ·	
+			<u> </u>						
				· · · · · · · · · · · · · · · · · · ·					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SPT	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8	1158	500	Helliburton		· _ ·
7	5	3559	125		· · · · · · · · · · · · · · · · · · ·	

						· · · · · · · · · · · · · · · · · · ·	
			PLUGS AND AD	APTERS			
Heaving 1	olug—Material		Length	<u> </u>	Depth Se	t	
			HOOTING OR C				
SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USEI	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEA	NED OUT
	None						
	11040				· · · · · · · · · · · · · · · · · · ·		
		· · · · · · · · · · · · · · · · · · ·					
Rotary to	ols were used th	rom 0 f	TOOLS US leet to 3709	ED feet, and	report on separate from from	feet to	feet
Cable too	ols were used i	rom	,		110M	-1001 10	
	No	V. 9	PRODUCT . 39	ION			
				. 1 . 6 61		<i>(</i> 1	
					of which 100	•	
					, Be <u>37.3</u> 0		
					e per 1,000 cu. ft. (or gas	
HOCK DIES	ssure, tos. per sq.	in. ==					
7 G			EMPLOY				
					Jones		
			, Driller				Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

14	<i>ح</i> ا
Subscribed and sworn to before me this 70	Place & J Date
day of 178	Name_EL Ormiey_
Not have balle	Position
Notary Public MAY 13, 157	RepresentingCompany or Operator
My Commission expires	Address

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMA	NON
0 125 1122 1220 1705 2084 2461 2763 3186 3314 3499 3513 3559 3655	125 1122 1220 1705 2084 2461 2763 3186 3314 3499 3513 3559 3655 3709	125 997 98 485 379 377 302 2123 128 185 14 46 96 54	Sand & Caliche Red beds Anhy. Anhy. & salt Salt anhy. & shells Anhy. & salt Anhy. Anhy. & gyp. Anhy. & Ls Ls Sdy. Ls. Ls. Cryst. Ls. W/thin stks. Percus Cryst. Ls.W/ thi	sd. n stks. sd.
	•			
	: .			
	1 1 1			

