

OWWO

COUNTY	LEA	FIELD	Paddock	STATE	NM MN 10110
YPR	PAN AMERICAN PET. CORP.				MAP
	1 Grizzell "B"				
	Sec 8, T-22-S, R-37-E				CO-ORD
	1980' FNL, 1980' FEL of Sec.				

CLASS				EL
Re-Cmp 4-28-69	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
10 3/4" at 294' w/200 sx				
7" at 3475' w/325 sx				
5 1/2" 1nr 3348-6579' w/300 sx				
LOGS EL GR RA IND HC A				
TD 6580' : PRD 5207'				

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	5220'	TYPE	WO
DATE				

5-22-69 1-19-69 5-22-69	F.R.C. 5-22-69 PD 5220' WO (Glorieta) (Orig. Stanolind Oil & Gas Co. #1 L. E. Grizzell "E", comp 11-9-37 from OH 3475-3739', OJD 3739'; OWED & Re-Cmp 2-24-51 thru (Drinkard) Perfs 6528-6556', OJD 6580') TD 6580'; PRD 5207'; COMPLETE Perf 5278-88' w/2 SFF Acid (5278-88') 2000 gals (15%) Swbd 135 BW + 1% oil in 10 hrs (5278-88') Sqzd (5278-88') w/50 sx Perf 5110-18', 5132-40', 5151-34', 5168-71', 5175-78' w/2 SFF Acid (5110-78') 4000 gals Swbd 126 BLW w/trace oil in 6 hrs (5110-78') (-20 ELW) COMPLETION REPORTED
--	---

COUNTY LEA		FIELD Blinebry		OWWO	
STATE NM		MN 10110			
OPR PAN AMERICAN PET. CORP.		MAP			
1 Grizzell "B"					
Sec 8, T-22-S, R-37-E		CO-ORD			
1980' FNL, 1980' FEL of Sec.					
Re-Spd 11-24-69		CLASS		EL	
Re-Cmp 12-11-69					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
10 3/4" at 294' w/200 sx					
7" at 3475' w/300 sx					
5 1/2" lnr 3348-6579' w/300 sx.					
LOGS EL GR RA IND HC A					
		TD 6580'; PBD 6500'			
IF (Blinebry) Perfs 5498-5941' F 49 BOPD + 9 BBL D.S. based on 24 hr test thru 23/64" chk. GOR 26,285; BOPD 1014 @ 660%.					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 5941' TYPE WO
DATE

F.R.C. 1-15-70
PD 5941' WO (Blinebry)
(Orig. Landreth Prod. Corp. #1 Grizzell, comp 11-9-37 from OH 3475-3739', OTD 3439'; OMBD & Re-Cmp 2-24-51 as Stanolind Oil & Gas Corp. #1 Grizzell "B", thru (Drinkard) Perfs 6528-56', OTD 6580'; OWWO by Pan American Pet. Corp. & Temp. Aban. 4-28-69, OPB 5207')
1-12-70 TD 6580'; PBD 6500'; COMPLETE
Cleaned out to 6500'
Perf @ 5498', 5506', 5512', 5519', 5531', 5558', 5559', 5569', 5585', 5610', 5628', 5632', 5654', 5684', 5696', 5710', 5719', 5729', 5738', 5750', 5759', 5768', 5784', 5798', 5804', 5816', 5817', 5834', 5848', 5856', 5877', 5882', 5889', 5907', 5915', 5924', 5932', 5941' w/1 BOPD

LEA Blinebry NM Sec 8, T-22-S, R-37-E
PAN AMERICAN PET. CORP. 1 Grizzell "B" Page #2

1-12-70 Continued
 Acid (5498-5941') 2000 gals
 Frac (5498-5941') 35,000 gals wdr + 35,000# sd
1-15-70 COMPLETION REPORTED