

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL GAS
PRORATION OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the school on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) TO RECOMPLETE	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Roswell, New Mexico
(Place)

December 22, 1964
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Shell Oil Company Grizzell Well No. 6 in I
(Company or Operator) Lease (Unit)
NE 1/4 SE 1/4 of Sec. 8, T22S, R. 37E, NMPM, Drinkard Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

OPERATION: Recomplete to Blinebry Oil.

1. Pull tubing.
2. Run GR/N w/CCL from TD - 2800'.
3. Set CIBP at 6300' and cap w/cement.
4. Perforate Blinebry intervals between approximately 5800' and 5900' as selected from GR/N.
5. Treat w/1000 gallons NEA and swab test.
6. If swabbing indicates a high water cut, set CIBP above perforations and cap w/cement; if low water cut, set retrievable BP above perforations & dump five to ten feet sand on top.
7. Perforate selected intervals between approximately 5670' & 5800'.
8. Treat w/1000 gallons NEA and swab test.
9. Run frac tubing and treat w/20,000 gallons lease crude containing 1# 20-40 Mesh sand/gallon and 1/20# Mark II Adomite/gallon.
10. Pull frac tubing and run production tubing and swab test.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

Shell Oil Company

Company or Operator

Original Signed By

By..... V. L. KING

Position Acting District Exploitation Engineer

Send Communications regarding well to:

Name Shell Oil Company

Address P. O. Box 1858, Roswell, New Mexico 88201