

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

HOBBS OFFICE CCC

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

July 11, 1961
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Soco Mobil Oil Company, Inc. **Brunson Argo** Well No. **8** in **1** (Unit)
(Company or Operator)
SW **SE** **9** **22 S** **37 E** **E. O. Carson SWDS #2** Pool
(40-acre Subdivision) 1/4 of Sec. T. R. NMPM.
County.

TD: 3740'
PBD: 3733'
Cag. 7" @ 3610'

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

As proposed on C-102 dated July 6, 1961 propose to pull well head & tag bottom for fill up. Shoot 2 Dialog string shots (1-300 grain per foot + 1-400 grain per foot) 3620-3733 open hole. Run 2" tbg. to 3733 & circ. out solids. Test injectivity of formation.

Propose to run bit & scraper to remove scale in well bore. Reverse circ. to 3740' w/bit @ 3735 spot 2000 gals. 15% Iron stabilized acid in hole. Pull bit to 3610' and let soak for 2-3 hrs. Braden head squeeze 1000 gals. acid into formation. Reverse circulate acid out of hole. Swab or flow 50 bbl. of fluid back or sufficient volume so that spent acid and solids are removed. Pull bit and scraper and run plastic coated tbg. & pkr. and complete.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....
Title.....

Soco Mobil Oil Company, Inc.

By.....
Company or Operator

Position **Senior Clerk**
Send Communications regarding well to:

Name **Soco Mobil Oil Company, Inc.**
Address **Box 2406, Hobbs, New Mexico**