

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	1.667'		Top of Rotary Drive Bushing to derrick floor.
1.667'	15.17'		From Derrick floor to top of 13 3/8" OD casing.
15.17	80'		Sand and caliche
80'	246		Red bed and red rock
246	810		Red rock
810	910		Red beds
910	1030		Red rock
1030	1130		Red bed
1130	1150		Red rock
1150	1183		Anhydrite & red rock
1183	1320		Red rock
1320	2430		Anhydrite & salt
2430	2490		Anhydrite & lime
2490	2545		Lime
2545	2785		Anhydrite & lime
2785	2828		Lime
2828	2914		Anhydrite
2914	3018		Anhydrite & lime
3018	3067		Anhydrite
3067	3227		Anhydrite & lime
3227	3260		Lime
3260	3335		Anhydrite & lime
3335	3480		Lime
3480	3546		Anhydrite & lime
3546	3625		Lime
3625	3647		Lime, hard
3647	3797		Lime
3797	4065		Lime
4065	4095		Brown lime, oil stain
4095	5120		Lime
5120	5230		Lime
5230	6478		Lime
6478	6575		Lime
6575	6937		Lime
6937	6955		Lime & green shale
6955	6977		Lime
6977	6998		Lime and shale
6998	7033		Lime
7033	7055		Lime and shale
7055	7244		Lime
7244	7261		Lime with odor
7261	7425		Lime
7425	7472		Ellenberger Line
7472	7550		Ellenberger Line
7550	7644		Ellenberger Line TD