Senta Fe, New Mexico

FEB 1 8 1946

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before, defining begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following aburdant rises additional

			Dallas, Texa	us	January 2	8, 1946
OIL CONSER Santa Fe, Ne Gentlemen:	VATION COM w Mexico.	IMISSION,	Flace		Dat	ic.
You are he	reby notified	that it is our intention	on to commence the	drilling of a well	to be known as_	
Magnolia	a Petrolew	m Company	Brunson-Argo	Well :	No. 11 in	neł
Comp	nany or Operator	r S. R. 37 E.	Lease N M PMinics		eel bleid	County.
or sec.	N.		731 feet <b>xxx</b> (	•		
		<del></del>	the East line	_		
		<u> </u>	from section or other	-		_
			he oil and gas lease	_		
			nd the owner is			
		1	the owner is			
			t land the permittee			
			l land the permittee			
			<u>Magnelia</u> ∃ox 900,			
ARF	CA 640 ACRES		_	_		_
LOCATE	WELL CORREC	We propose to	drill well with drill	ing equipment as	follows: <b>Rotary</b>	TOOLS
			ing and to land or a	Comant tham ac i	ndiested.	
We propose  Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
Size of Hole	Size of Casing	Weight Per Foot	New or	Depth 1150†	Landed or Cemented	Sacks Cement 700
Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand How New	Depth 1150† 3800†	Landed or Cemented  comented  comented	Sacks Cement 700 500
Size of Hole	Size of	Weight Per Foot	New or Second Hand	Depth 1150†	Landed or Cemented	Sacks Cement 700 500
Size of Hole  17-1/4** 11** 7-7/8**  If changes in that the firs	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above pl t productive o	Weight Per Foot	New or Second Hand  New Hew  New  New	Depth  1150  3800  8000  before cementing	Landed or Cemented cemented cemented cemented cemented	Sacks Cement 700 500 two-stage
Size of Hole  17-1/4** 11** 7-7/8**  If changes in that the firs	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above pl t productive o	Weight Per Foot  48# 32# 17#  an become advisable	New or Second Hand  New Hew  New  New	Depth  1150  3800  8000  before cementing	Landed or Cemented cemented cemented cemented cemented	Sacks Cement 700 500 two-stage
Size of Hole  17-1/4** 11** 7-7/8**  If changes in that the firs	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above pl t productive o	Weight Per Foot  48# 32# 17#  an become advisable	New or Second Hand  New Hew  New  New	Depth  1150  3800  8000  before cementing	Landed or Cemented cemented cemented cemented cemented	Sacks Cement 700 500 two-stage
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  In the above plet productive of the conformation:	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New	Depth  1150  3800  8000  before cementing about	Landed or Cemented cemented cemented cemented cemented	Sacks Cement 700 500 two-stage
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above plat productive on formation:	Weight Per Foot  48# 32# 17#  an become advisable	New or Second Hand  New	Depth  1150  3800  8000  before cementing about	Landed or Cemented  cemented  cemented  cemented  cemented  or landing casin  feet.	Sacks Cement 700 500 two-staged
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above plat productive on formation:	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New	Depth  1150  3800  8000  Defore cementing about.	Landed or Cemented cemented cemented cemented cemented	Sacks Cement 700 500 two-stages g. We estimate
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above plat productive on formation:	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New	Depth  1150  3800  8000  Defore cementing about.	Landed or Cemented cemented cemented cemented or landing casin feet.	Sacks Cement 700 500 two-staged
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above plat productive on formation:	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  How Hew New  We will notify you be occur at a depth of	Depth  1150' 3800' 8000'  Defore cementing about.	Landed or Cemented  cemented  cemented  cemented  or landing casin  feet.	Sacks Cement 700 500 two-staged
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in	Size of Casing  13-3/8* 8-5/8* 5-1/2*  a the above plat productive on formation:	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New New New New New Sincerely Sincerely Position	Depth  1150' 3800' 8000' before cementing about  WAGNOLIA Compa	Landed or Cemented  cemented  cemented  cemented  or landing casin feet.	Sacks Cement 700 500 two-staged
Size of Hole  17-1/4*  11* 7-7/8*  If changes in that the firs Additional in Approved — except as fo	Size of Casing  13-3/8* 8-5/8* 5-1/2*  The above plus productive of the above plus plus plus plus plus plus plus plus	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New New New New New Sincerely Sincerely Position Send con	Depth  1150' 3800' 8000'  before cementing about  y yours,  Compa	Landed or Cemented  cemented  cemented  cemented  or landing casin feet.  properties  prop	Sacks Cement 700 500 two-staged
Size of Hole  17-1/4*  11*  7-7/8*  If changes in that the firs Additional in Approved — except as fo	Size of Casing  13-3/8* 8-5/8* 5-1/2*  The above plus productive of the above plus plus plus plus plus plus plus plus	Weight Per Foot  48# 32# 17#  an become advisable il or gas sand should	New or Second Hand  New New New New New Sincerely Sincerely Position Send con	Depth  1150' 3800' 8000'  before cementing about  WAGNOLIA Compa	Landed or Cemented  cemented  cemented  cemented  or landing casin feet.  properties  prop	Sacks Cement 700 500 two-staged

en proportion of the first of the first of the second of t

The Market and the Administration of the Control of