

**HISTORY OF OIL OR GAS WELL**

10-43004-1

U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

**DRILL STEM TESTS**

6371-6470': Tool open 1 hr. 11 min. - Gas to surface in 2½ min., Mud in 12 min., Distillate in 25 min. Flowed at rate of 6 bbls. distillate per hr. with est. 4 mil. cu ft. gas. 5/8" B.H. and 1" Top Chokes. B.H. Flowing Press. 1525#, 15 min. Shut-In B.H. Press. 2500#.

6485-6557': Tool open 4 hrs. Gas to surface in 10½ min. Rec. 54 stands oil & 1 stand muddy oil & 10 gal. drilling water. Flowing B.H. Press. 800#, 10 min. B.H. Shut-In Press. 2400#.

**PERFORATION RECORD**

10-21-46: Gun Perforated 5½" casing with 6 shots per ft. 6500-18; 6528-33.

**ACIDIZING TREATMENTS**

10-22-46: Acidized above perforations; 6500-18; 6528-33; with 800 gals. Mud Acid.