

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PERFORATION OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE & Open Additional Pay		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
 SANTA FE, NEW MEXICO

Hobbs, New Mexico
 (Place)

July 9, 1962
 (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

Gulf Oil Corporation **Hellen Brunson** Well No. **5** in **G**
 (Company or Operator)
SW $\frac{1}{4}$ **NE** $\frac{1}{4}$ of Sec. **10**, T. **22-S**, R. **37-E**, NMPM., **Paddeck** Pool
 (40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
 (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

TD 5270', PROD 5242'.

It is proposed to open additional pay and acidize as follows:

1. Load hole with lease oil and pull rods, pump and tubing.
2. Run GR-N log from TD to 2000' on both 2" & 5" scales.
3. Selectively perforate Paddeck in the interval 5100-5150' with 2, 1/2" JHPT as directed by Geologist.
4. Run 2-3/8" tubing with retrievable BP and FB packer. Straddle oil perfs 5175' 5215' and acidize with 1000 gals 15% HRA. Straddle each new set of perforations and treat each set with 500 gals 15% HRA.
5. Swab and test.
6. Kill well. Pull tubing and straddle tools.
7. Run 2-3/8" tubing (and pumping equipment, if necessary) and place well on production.

Approved....., 19.....
 Except as follows:

Gulf Oil Corporation

Company or Operator

By.....

Position **Area Production Manager**

Send Communications regarding well to:

Approved
 OIL CONSERVATION COMMISSION

By.....

Name **Gulf Oil Corporation**

Title.....

Address **Box 2167, Hobbs, New Mexico**

1. The first part of the paper is devoted to the study of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the

of the