

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

September 26, 1946

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

Gulf Oil Corp., Gypsy Div.

Saves

Well No. 3

in NE NE

Company or Operator

Lease

of Sec. 10, T. 22S, R. 37E, N. M., P. M., Paddock Field, Lea County.

N

The well is 454 feet (N.) (S.) of the North line and 454 feet (E.) (W.) of the East line of NE NE Sec. 10

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is R. L. Brunson

Address Eunice, New Mexico

If government land the permittee is

Address

The lessee is Gulf Oil Corp., Gypsy Division

Address Box 261, Tulsa, Oklahoma

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Olsen Drilling Company - Rotary Tools

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: --

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17 1/4"	13 3/8"	48#	New	300'	Cemented	300 Sx.
12 1/4"	9 5/8"	36#	New	2900'	Cemented	1300 Sx.
8 3/4"	7"	23#	New	5100'	Cemented	450 Sx.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 5100 feet.

Additional information:

Approved SEP 27, 1946, 19

except as follows:

Sincerely yours,

Gulf Oil Corp., Gypsy Division

Company or Operator

By E. J. Gallagher

Position District Superintendent

Send communications regarding well to

Name E. J. Gallagher, Supt.

Address Box 1667, Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By [Signature]

Title [Signature]

COUNTY LEA FIELD Wantz STATE NM
 OPR GULF OIL CORP. API 30-025-10165
 3 LEASE Eaves MAP
 Sec 10, T22S, R37E CO-ORD
 554 FNL, 554 FEL of Sec 10-5-17 NM
 1 mi S/Eunice RE-SPD 9-25-83 RE-CMP 10-2-83

CSC	WELL CLASS: INIT DX FIN DG LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8-294-300 sx				
9 5/8-2850-1500 sx				
7-5025-450 sx				
4 1/2-lnr-4724-7519-465 sx				
	TD 7521 (GRWS)		PBD 7080	

IP (Abo) Perfs 6578-7064 F 857 MCFGPD. Pot based on 24 hr
 test thru (NR) chk. GOR Dry; gty (Gas) (NR); CP Pkr; TP (NR)

CONTR OPR5111V 3387 GL sub-s

F.R.C. 10-29-83 OWWO
 PD 7080 WO
 (Orig. Cmp. 11-21-46 from (Paddock) OH
 5025-5179, OTD 5179; OWDD & Re-Cmp. 4-25-79
 from (Granite Wash) Perfs 7134-7458, OTD
 7521, OPB 7475; OWWO & Re-Cmp. 7-16-83 thru
 (Abo) Perfs 6973-7064, OTD 7521, OPB 7080)
 10-24-83 TD 7521; PBD 7080; Complete
 Perf (Abo) 6578-6939 w/48 shots
 Acid (6578-7064) 9000 gals
 10-29-83 COMPLETION ISSUED

10-5-17 NM
 IC 30-025-70768-83

COUNTY LEA FIELD Wantz STATE TX
OPR GULF OIL CORP. API MN 10165
NO 3 LEASE Eaves MAP
Sec 10, T22S, R37E CO-ORD
454 ~~554~~ FNL 454 FEL of Sec 8-3-44 NM
1 mi S/Eunice Re SPD 4-20-81 Re MP 7-16-81

CSC	WELL CLASS: INIT DX FIN DO LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8-294-300 SX				
9 5/8-2850-1500 SX				
7-5025-450 SX				
4 1/2-1nr-4724-7519-465 SX				
2 3/8-6990				
	TD 7521 (GRWS)		PBD	7080

IP (Abo) Perfs 6973-7064 P 10 BOPD + 5 BW. Pot based on
24 hr test. GOR 3500; grey (NR)

CONTR OPRS RELV 3387 GL sub-s

8-10-81 F.R.C. 8-15-81 OWWO
PD 7080 WO (Abo)
(Orig. comp. 11-21-46 from (Paddock) OH 5025-5179
OTD 5179; OWDD & Re-comp. 4-25-79 from (Granite
Wash) Perfs 7134-7458, OTD 7521, OPR 7475)
TD 7521; PBD 7080; Complete
CIBP @ 7080
Perf (Abo) 6973-75, 6992-94, 7006-08, 7026-28,
7062-64 w/2 SPF
Acid (6973-7064) 125 gals
Swbd 56 BW w/SG in 6 hrs (6973-7064)
Acid(6973-7064) 6000 gals + 1550# salt
Swbd 3 BO + 10 BW (6973-7064)
Frac (6973-7064) 30,000 gals gel wtr + 13,000# sd
8-15-81 COMPLETION ISSUED

8-3-44 NM
IC 30-025-70410-81

COUNTY LEA FIELD Wantz STATE NM
 OPR GULF OIL CORP. API MN 10165
 NO 3 LEASE Eaves MAP
 Sec 10, T22S, R37E COORD
~~454~~ ~~554~~ FNL: ~~554~~ FEL of Sec 6-4-20 NM
 1 mi S/Eunice RE SPD 3-27-79 REEMP 4-25-79

CNO	WELL CLASS INIT DD FIN DG LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
13 3/8 294 300 sx				
9 5/8 2850 1500 sx				
7 5025 450 sx				
4 1/2 lnr 4724-7519 465 sx				
2 3/8 7071				
	TD 7521 (GRWS)		PBD 7475	

IP (Granite Wash) Perfs 7134-7458 F 672 MCFGPD. Pot based on 2-hr test thru 18/64 chk. GOR dry, gty (NR), CP Pkr, TP 250

CONTR Cactus #53 OPR ELLS 3387 DF PD 7600 RT

F.R. 4-2-79 OWDD

(Granite Wash)

(Orig. comp. 11-21-46 from (Paddock) OH
 5025-5179, OTD 5179)

4-3-79

Drlg 6715 lm

DST (Blinebry) 6570-6706, op 1 hr 15 mins,
 Flwd est. 80 MCFPD thru 1/4 chk, rec 185 DF,
 1 hr ISIP 2347, FP 127-170, 2 hr FSIP 2120,
 HP 2800-2035, BHT 105 deg

4-9-79

TD 7521; Rng Lnr

Deepened 5179-7521

Ran 4 1/2 lnr

4-17-79

TD 7521; RUCU

4-24-79

TD 7521; PBD 7475; Swbg

Perf(Granite Wash) 7134-36, 7148-50, 7182-84,
 7196-98, 7218-20, 7250-52, 7278-80, 7302-
 04, 7318-20, 7346-48, 7432-34, 7456-58,
 w/2 SPF

Swbd 20 BLW w/SSC (7134-7458)

6-4-20 NM

LEA
GULF OIL CORP.

Wantz
3 Eaves
Sec 10, T22S, R37E

5-1-79 TD 7521; PBD 7475; SI
Acid (7134-7458) 6000 gals (15%)
Flwd 4 BW, tr oil + 449 MCFCGPD in
30 hrs thru 17/64 chh (7134-7458)
5-7-80 TD 7521; PBD 7475; SI WOPL
Flwd 671 MCFCGPD (7134-7458)
9-15-80 TD 7521; PBD 7475; Complete
LOG TOPS: Blinobry 5478, Drinkard
6211, Abo 6476, Granite Wash 7178
6-23-79 TEMPORARY COMPLETION ISSUED
9-20-80 RE-ISSUE OF SUSPENDED COMPLETION

6-1-20 NF
IC 30-(25-7)110