

1/31 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BO + 22 BLW/24 hrs, 30/64 ck, TP 70. - 431 BLW.

2/1 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BNO + 22 BLW + 303 MCFG/24 hrs, 30/64, TP 80. - 409 BLW.

2/2 BRUNSON-ARGO #16, 7454 TD, 5256 PBTD.
F 0 BNO + 22 BLW + 370 MCFG/24 hrs, 30/64 ck, TP 70. - 387 BLW.

2/5 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BO + 61 BLW + 360 MCFGPD/3 days, 30/64, TP 75. - 326 BLW.

2/6 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 3 BNO + 26 BLW + 300 MCFG/24 hrs, 30/64, TP 70. - 300 BLW.

2/7 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 1 BNO + 15 BLW + 370 MCFG/24 hrs, 30/64, TP 75. - 285 BLW.

2/8 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BNO + 22 BLW + 318 MCFG/24 hrs, 30/64, TP 75. - 263 BLW.

2/9 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BNO + 22 BLW + 303 MCFG/24 hrs, 30/64, TP 70. - 241 BLW.

2/12 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 7 BNO + 56 BLW/3 days, 30/64 ck, TP 70. - 185 BLW.

2/13 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 2 BNO + 18 BLW + 310 MCFG/24 hrs, 30/64, TP 75. - 167 BLW.

2/14 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
SI 24 hrs, hot oiled flowline, install BP valve. - 167 BLW.

2/15 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BO + 20 BLW + 275 MCFGPD/22 hrs, TP 240. - 147 BLW.

2/16 BRUNSON ARGO #16, 7454 TD, 5256 PBTD.
F 0 BO + 16 BLW + 331 MCFG/ 24 hrs, TP 240. -131 BLW

2/20/73 POTENTIAL BRUNSON ARGO #16, 7454 TD, 5256 PBTD
NMOCC POT: F 1 BNO + 13 BLW/ 24 hrs 20/64" ck,
TP 240#, GOR 322,000/l, Grav. 37.6 to 60, Will be
gas well. Before W/O: F 9 BO + 1 BW at 6,111/l GOR.
Comp. Date: 12-21-73. FINAL REPORT.