

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	2.44		Top of Rotary Drive Pushing to Derrick Floor
2.44	1495		From Derrick floor to top of 13 3/8" OD casing
14.95	25'		Surface soil & caliche
25	60		Sand and shells
60	70		Red rock
70	230		Red rock and sand
230	308		Red bed
308	428		Red bed and shells
428	700		Red rock
700	825		Red bed
825	1095		Anhydrite
1095	1180		Red bed
1180	1350		Red bed and anhydrite
1350	1375		Anhydrite and salt
1375	2352		Anhydrite and lime
2352	2820		Lime
2820	3014		Anhy. lime & red shale
3014	3090		Lime and shale
3090	3275		Lime, shale, & sand
3275	3315		Anhydrite, lime & shale
3315	3430		Lime and anhydrite
3430	3530		Lime
3530	3590		Lime and shale
3590	3775		Lime
3775	3875		Lime and shale
3875	4030		Lime
4030	4130		Shale and lime
4130	4430		Lime
4430	4527		Broken lime
4527	5008		Lime
5008	5091		Broken lime
5091	5117		Lime and shale
5117	5135		Lime
5135	5155		Run Schlumberger Well Survey
5155	5170		Slc
	5153		Total depth
5170	5154		Drilled out cement to
	5154		McCullough Tool Perf 7" OD
	5135		Western acidized perforations
5080	5125		
5080	5125		

Top of Rotary Drive Bushing to Derrick Floor	0	2.44
From Derrick floor to top of 13 3/8" OD casing	2.44	14.95
Surface soil & caliche	14.95	25'
Sand and shells	25	60
Red Rock	60	70
Red rock and sand	70	230
Red bed	230	305
Red rock	305	428
Red bed and shells	428	700
Red rock	700	825
Red bed	825	1095
Anhydrite	1095	1180
Red bed	1180	1350
Red bed and anhydrite	1350	1375
Anhydrite and salt	1375	2352
Anhydrite and lime	2352	2820
Lime	2820	3014
Anhy. lime & red shale	3014	3090
Lime and shale	3090	3275
Lime, shale & sand	3275	3315
Anhydrite and lime	3315	3430
Anhydrite lime and shale	3430	3530
Lime and anhydrite	3530	3590
Lime	3590	3775
Lime and shale	3775	3875
Lime	3875	4030
Lime and shale	4030	4130
Lime	4130	4430
Shale and lime	4430	4527
Lime	4527	5008
Broken lime	5008	5091
Lime	5091	5117
Broken lime	5117	5135
Lime and shale	5135	5155
Lime	5155	5170
Ran Schlumberger Well Survey		5153
SLC	5170	5154
TOTAL DEPTH		5154
Drilled out cement to		5135
McCullough tool Perf 7" OD	5080	5125
Western acidized perforations	5080	5125