



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD



Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPlicate**

The Ohio Oil Company

Hobbs, New Mexico

Company or Operator

Address

Well No. **2** in **SE 1/4 of NE 1/4** of Sec. **11**, T. **22S**

R. **37E**, N. M. P. M., **Padlock** Field, **Lea** County.

Well is **1980** feet south of the North line and **660** feet west of the East line of

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is **Lea Worthan**, Address **Midland, Texas**

If Government land the permittee is _____, Address _____

The Lessee is _____, Address _____

Drilling commenced **January 23, 1946** Drilling was completed **February 17, 1946**

Name of drilling contractor **J. F. Postelle**, Address **Box 2326, Odessa, Texas**

Elevation above sea level at top of casing **3355** feet.

The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
 No. 2, from _____ to _____ feet.
 No. 3, from _____ to _____ feet.
 No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE Cm. W/ 300
							FROM	TO	
13-3/8	48	SR	Sals	295	Plain thd end				300
8-5/8	32	SR	"	2809'6"	HOWCO. Plastic Guide Shoe				2500
5-1/2	17	SR	"	5109'6"	HOWCO. Floating Equipment				300

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
 Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
13-3/8		Mad Acid	500 Gal.	2-22-46	5085 - 5152	
	1 1/2 20%	Acid	2000 "	2-22-46	5085 - 5152	
	" "	"	4000 "	2-23-46	5085 - 5152	

Results of shooting or chemical treatment **Well flowed 45 1/2 B/O per hr. on 6 hr. test thru 2" tubing. Tubing pressure not recorded. Casing pressure 580#**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **5152** feet, and from _____ feet to _____ feet
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **February 17, 1946**
 The production of the first 24 hours was **1092** barrels of fluid of which **100** % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be. _____
 If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
 Rock pressure, lbs. per sq. in. _____

EMPLOYEES

E. C. Scott, Driller **J. B. Wisar**, Driller
Webb, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **8th** day of **March**, 19**46**
 Name **J. B. Wisar**
 Position **District Foreman**
 Representing **The Ohio Oil Company**
 Address **Box 1607, Hobbs, New Mexico**
 Notary Public. **MY COMMISSION EXPIRES AUG. 19, 1947**
 My Commission expires _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20	20	Caliche
20	80	60	Sand & Gravel
80	410	330	Red bed
410	937	527	Red bed & shale
937	1105	168	Red rock & shale
1105	1164	59	Gyp & Anhydrite
1164	1200	36	Anhydrite
1200	1240	40	Red bed & salt
1240	1800	560	Salt, Anhy & shells
1800	2265	465	Anhy & salt
2265	2370	105	Salt, Anhy & red bed
2370	2432	62	Anhy & gyp
2432	2622	190	Anhydrite
2622	3405	783	Anhy & Lime
3405	5152	1747	Lime
	5152 T.D.		