

Submit 3 Copies To Appropriate District Office  
 District I  
 1625 N. French Dr., Hobbs, NM 87240  
 District II  
 811 South First, Artesia, NM 87210  
 District III  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV  
 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 Revised March 25, 1999

OIL CONSERVATION DIVISION  
 2040 South Pacheco  
 Santa Fe, NM 87505

WELL API NO.  
 30-025-10218

5. Indicate Type of Lease  
 STATE  FEE

6. State Oil & Gas Lease No.

**SUNDRY NOTICES AND REPORTS ON WELLS**  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
 Oil Well  Gas Well  Other

2. Name of Operator  
 Marathon Oil Company

3. Address of Operator  
 PO Box 2490 Hobbs, NM 88240

4. Well Location  
 Unit Letter E : 1905 feet from the North line and 440 feet from the West line  
 Section 11 Township 22-S Range 37-E NMPM County Lea

7. Lease Name or Unit Agreement Name:  
 Lou Worthan

8. Well No.  
 9

9. Pool name or Wildcat  
 Blinebry

10. Elevation (Show whether DR, RKB, RT, GR, etc.)  
 GL 3366' KB 3376'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

- PERFORM REMEDIAL WORK  PLUG AND ABANDON   
 TEMPORARILY ABANDON  CHANGE PLANS   
 PULL OR ALTER CASING  MULTIPLE COMPLETION

SUBSEQUENT REPORT OF:

- REMEDIAL WORK  ALTERING CASING   
 COMMENCE DRILLING OPNS.  PLUG AND ABANDONMENT   
 CASING TEST AND CEMENT JOB

OTHER:  OTHER: Horizontal Drill Completion

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

3/13-18 Prepare well for horizontal drill. Set CIBP at 5625'. Cmt sqz 5330-5600' w/175 sks cmt. Circ 74 sks to pit. DO cmt 5288-5612'. Circ clean. Test to 500 psi, held OK. RIH w/killstring.

4/10 RU drlg rig. POOH w/killstring. RIH, tag CIBP at 5625'. TIH w/whipstock, set at 5620'. Mill csg window 5611-5625'. Drill curve 5625-5822'. Drill lateral from 5822-7570' open hole. RIH, set pkr at 5564'. Test, Ok. Reset pkr at 5318' above sqzd perfs. Test, CK. Reset pkr at 5558'. Test, OK.

4/20 RD drlg rig. RU swab unit. Started swabbing.

4/22 RD swab unit.

5/11 RU coil tbg unit. RIH to 7570'. Acidize w/20,000 gals of 20% HCL acid. Pump 80,000 scf of nitrogen. RD coil tbg unit. RU swab. Swab until well starts flowing. RD swab. Currently testing well.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kelly Cook TITLE Admin. Assistant DATE 6/6/01

Type or print name Kelly Cook Telephone No. 393-7106

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of approval, if any:

3  
C