

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instruction in Rules and Regulations of the Commission.

Odessa Texas

July 15, 1941

OIL CONSERVATION COMMISSION.  
Santa Fe, New Mexico.

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as \_\_\_\_\_

Parker Drilling Co.

T. Long

Well No. 1

in NW of SW.

Company or Operator

Lease

of Sec. 11, T. 22 S., R. 37 E., N. M. P. M. Penrose Field, Lea County

N.

The well is 2310' feet (N.) S. of the South line and 330' feet (E.) W. of the \_\_\_\_\_ line of Sec 11 Twp. 22 R. 37  
(Give location from section or other legal subdivision lines. Cross out wrong directions)

If state land the oil and gas lease is No. \_\_\_\_\_, Assignment No. \_\_\_\_\_

If patented land the owner is Thomas Long.

Address Eunice New Mexico

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is Farm out from Shell Oil Gas Co.

Address Petroleum Bldg Midland Texas.

We propose to drill well with drilling equipment as follows: Cable Tools

AREA 640 ACRES  
LOCATE WELL CORRECTLY

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
15"	13"	70#	S.H.	80'	Cemented	100 sks.
13"	10"	50#	S.H.	425'	Landed	----
10"	8 5/8"	32#	S.H.	700'	" "	----
8 5/8"	7"	24#	S.H.	1100'	" "	----
7"	5 1/2"	17#	New.	3600'	Cemented	200sks.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil and gas sand should occur at a depth of about 3610' feet.

Additional information: \_\_\_\_\_

JUL 21 1941

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows: \_\_\_\_\_

Sincerely yours,

Parker Drilling Co.

Company or Operator

By W. E. Snell

Position Supt.

Send communications regarding well to

Name Parker Drilling Co.

Address Oil &amp; Gas Bldg. Houston Texas.

OIL CONSERVATION COMMISSION

By Roy Yarrington

Title \_\_\_\_\_

the following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.

The following table, which is based on the results of the examination of the skulls of the various races, and which shows the relative frequency of the different types of skulls.