



Santa Fe, New Mexico



WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE

Parker Drilling Co. Oil & Gas Bldg. Houston Texas
Company or Operator Address
Thomas Long Well No. 2 in 11 of SW 11 of Sec. 11, T. 22
Lease
R. 37, N. M. P. M., Penrose Field, 22 County.
Well is 1650 feet south of the North line and 2610 feet west of the East line of Sec. 11 Twp. 22 S. R. 37
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is Thomas Long, Address Junice New Mexico
Drilling commenced Jan. 13 1942 Drilling was completed Mar. 13 1942
Name of drilling contractor Parker Drilling Co., Address Tulsa Oklahoma
Elevation above sea level at top of casing 3366 feet.
The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from 3635' to 3640' No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 200' to 210' feet. 1 boiler per hr.
No. 2, from 700' to 800' feet. H.F.W.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
13"	50	8v	H.	100'	Tex. Pat.	No	No	No	No
10"	45	8v	"	450'	"	"	"	"	"
8"	29	8v	"	700'	"	"	"	"	"
7"	20	10v	"	1082'	"	"	"	"	"
5 1/2"	17	8rd	"	3575'	"	"	"	"	"

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15"	13"	100'	100	Halliburton		
5 1/2"	7"	3575'	200	"		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		4000 gal. acid		Two stages	3635' to 40'	
		1000 gal.		3/13/42		
		2000 "		3/22/42		

Results of shooting or chemical treatment None
Did not get back amount of oil and acid used.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from Top feet to 10669' feet, and from _____ feet to _____ feet
Production

Put to producing _____, 19____.
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. No gas

EMPLOYEES

_____, Driller _____, Driller
C.C. Reed, Driller Earl Dodge, Driller
A.W. Nielson

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 13 day of May, 1942
Emily Regues Notary Public. Name J. E. Ewell Position Supt.
My Commission expires June 1 - 1943 Representing Parker Drilling Co.
Address Oil & Gas Bldg. Houston Texas.

~~THE MEXICO OF CONSTITUTIONAL COMMISSION~~

FORMATION		THICKNESS		IN FEET		TO		FROM	
1	Caliche	171	10	171	10	171	10	171	10
2	Red Rock	10	10	10	10	10	10	10	10
3	Sand	10	10	10	10	10	10	10	10
4	Red Rock	10	10	10	10	10	10	10	10
5	Sand & Lime	10	10	10	10	10	10	10	10
6	Red Rock	10	10	10	10	10	10	10	10
7	Anhydrite	10	10	10	10	10	10	10	10
8	Salt, Potash & Anhydrite	10	10	10	10	10	10	10	10
9	Light oil stain	10	10	10	10	10	10	10	10
10	Light oil stain	10	10	10	10	10	10	10	10
11	Light oil stain	10	10	10	10	10	10	10	10
12	Light oil stain	10	10	10	10	10	10	10	10
13	Light oil stain	10	10	10	10	10	10	10	10
14	Light oil stain	10	10	10	10	10	10	10	10
15	Light oil stain	10	10	10	10	10	10	10	10
16	Light oil stain	10	10	10	10	10	10	10	10
17	Light oil stain	10	10	10	10	10	10	10	10
18	Light oil stain	10	10	10	10	10	10	10	10
19	Light oil stain	10	10	10	10	10	10	10	10
20	Light oil stain	10	10	10	10	10	10	10	10
21	Light oil stain	10	10	10	10	10	10	10	10
22	Light oil stain	10	10	10	10	10	10	10	10
23	Light oil stain	10	10	10	10	10	10	10	10
24	Light oil stain	10	10	10	10	10	10	10	10
25	Light oil stain	10	10	10	10	10	10	10	10
26	Light oil stain	10	10	10	10	10	10	10	10
27	Light oil stain	10	10	10	10	10	10	10	10
28	Light oil stain	10	10	10	10	10	10	10	10
29	Light oil stain	10	10	10	10	10	10	10	10
30	Light oil stain	10	10	10	10	10	10	10	10
31	Light oil stain	10	10	10	10	10	10	10	10
32	Light oil stain	10	10	10	10	10	10	10	10
33	Light oil stain	10	10	10	10	10	10	10	10
34	Light oil stain	10	10	10	10	10	10	10	10
35	Light oil stain	10	10	10	10	10	10	10	10
36	Light oil stain	10	10	10	10	10	10	10	10
37	Light oil stain	10	10	10	10	10	10	10	10
38	Light oil stain	10	10	10	10	10	10	10	10
39	Light oil stain	10	10	10	10	10	10	10	10
40	Light oil stain	10	10	10	10	10	10	10	10
41	Light oil stain	10	10	10	10	10	10	10	10
42	Light oil stain	10	10	10	10	10	10	10	10
43	Light oil stain	10	10	10	10	10	10	10	10
44	Light oil stain	10	10	10	10	10	10	10	10
45	Light oil stain	10	10	10	10	10	10	10	10
46	Light oil stain	10	10						