



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Neville G. Penrose, Inc.

Fair Building, Fort Worth, Texas

Company or Operator

Address

Hinton

Well No. 1

in SW/4

of Sec. 12

T. 22 South

R. 37 East

N. M. P. M.

WC

Field,

Lea

County.

Well is 3300 feet south of the North line and 3300 feet west of the East line of Section

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is J. R. Hinton, et al Address

If Government land the permittee is Address

The Lessee is C. M. Neal Address

Drilling commenced June 27 19 42 Drilling was completed August 13 19 42

Name of drilling contractor J. C. Clower Address Eunice, New Mexico

Elevation above sea level at top of casing 3339 feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to

No. 2, from " to No. 5, from to

No. 3, from " to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 200 to 210 feet.

No. 2, from 776 to 780 feet.

No. 3, from 780 to 806 feet.

No. 4, from 312 to 824 feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
15 1/2"				77'					
12 1/2"				424'					
10"				780'					
8"				1157'					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
?	15 1/2"	77	40			
?	12 1/2"	424		mudded		
?	10"	780		"		
?	8"	1157		"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	None					

Results of shooting or chemical treatment None

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from 0 feet to 3942 feet, and from feet to feet

PRODUCTION

Put to producing No prod. 19

The production of the first 24 hours was barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

J. V. Blackburn Driller Anderson Driller

P. Boswell Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 31st

Fort Worth, Texas Aug. 31, 1942

day of August 1942

Name J. V. Blackburn

Position Secretary

Representing NEVILLE G. PENROSE, INC.

Company or Operator

My Commission expires June 1, 1943

Address Fair Bldg., Fort Worth, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	28	28	Caliche and sand
28	1048	1020	Red Beds
1048	1217	169	Red Beds and anhydrite
1217	2177	960	Anhydrite and salt
2177	2487	310	Anhydrite and salt
2487	2697	210	Anhydrite
2697	2821	124	Anhydrite and shale
2821	3266	435	" " "
3266	3292	26	Anhydrite
3292	3405	113	Lime and anhydrite
3405	3511	106	" " "
3511	3942	431	Lime.