Form C-10

NEW TAYLOO OIL CONSERVATION COMTSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

	JUN 2 5 1947	
obtain ng súc	ed belond diving	

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

			Hobbs, de	w Mexico	June	3 17, 1947		
	RVATION CO		Plac			Date		
Santa Fe, Ne		ommiosioi,						
entlemen:								
You	u are hereby i	notified that it is or	ur intention to com	mence the drill	ing of a well to be k	nown as		
Julf 011		on - Gypsy Div	ision	Lease	Vell No. 2	in NE NV		
f Sec. 14	, т. 2	2S R 37E	, N. M., P. M.,_	Pad <b>doc</b> k	Field, Lea	County		
	N	•	· · · · · · · · · · · · · · · · · · ·		North line an	<u> </u>		
		(E.) (W.)	of the west	line of Sac	tion 14			
2		(Give directions.)	(Give location from section or other legal subdivision lines. Cross out wrong directions.)					
		If state lane	d the oil and gas le	ase is No.	Assignment	No		
		_			Simms			
		Address	P. Q.	Box 45 - 1	lunice, New Mex	ico		
		lf governme	ent land the permi	ttee is				
		Address			7			
		The lessee is	Gulf Cil Co	roration -	- Gypsy Division	<u> </u>		
AREA	640 ACRES	Address	P. 0. Box 6	61 - Tulsa	Oklahoma			
	ELL CORRECTI				nt as follows:			
Parker D	rilling Co	ompany -	Rotary 1	cols				
The status of	of a bond fo	r this well in cont	formance with Rul	e 39 of the G	eneral Rules and R	egulations of the		
Ve propos <b>e</b> t	to use the foll	lowing strings of cas	sing and to land or	cement them a	s indicated:			
	Size of	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement		
Size of Hole	Casing			200				
Hole	j .	48#	New	500	Cemented	300		
Hole 17 1/4#	Casing	48# 36#	New New	3000	Cemented Cemented			
Hole 17 1/4" 12 1/4"	13 3/8**					300		
Hole 17 1/4" 12 1/4" 8 3/4"	Casing 13 3/8* 9 5/8* 7**	36# 23#	New New	3000 <b>*</b> 5030 <b>*</b>	Comented Comented	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in	Casing 13 3/8" 9 5/8" 7" the above place	36# 23# an become advisable	New New we will notify you	3000 * 5050 *	Cemented Cemented ng or landing casing.	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proc	Casing 13 3/8" 9 5/8" 7" the above plaductive oil or	36# 23#	New New we will notify you	3000 * 5050 *	Cemented Cemented ng or landing casing.	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proc	Casing 13 3/8" 9 5/8" 7" the above plaductive oil or	36# 23# an become advisable	New New we will notify you	3000 * 5050 *	Cemented Cemented ng or landing casing.	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proc	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New New we will notify you	3000 * 5050 *	Cemented Cemented ng or landing casing.	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first produditional in	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  New we will notify you cur at a depth of	5000 the fore comenting about 5000	Cemented Cemented ng or landing casing.	300 1300 500		
Hole 17 1/4" 12 1/4" 8 3/4" 6 changes in the first proceed	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  Meet  we will notify you cour at a depth of  Since	3000 to 5000 t	Cemented  Cemented  ing or landing casing.  25 feet.	300 1300 500 We estimate that		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proceed	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  Meet  we will notify you cour at a depth of  Since	50:00 * before cementing about 50% rely yours,	Cemented  Cemented  Ing or landing casing.  Solution - GYP:	300 1300 500 We estimate that		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proceed	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  Meet  we will notify you cour at a depth of  Since	50:00 * before cementing about 50% rely yours,	Cemented  Cemented  ing or landing casing.  25 feet.	300 1300 500 We estimate that		
Hole 17 1/4" 12 1/4" 8 3/4" 6 changes in the first proceed	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  Meet  we will notify you cour at a depth of  Since	50:00 * before cementing about 50% rely yours,	Cemented  Cemented  Ing or landing casing.  Solution - GYP:	300 1300 500 We estimate that		
Hole  7 1/4"  2 1/4"  8 3/4"  6 changes in the first proceed	Casing 13 3/8* 9 5/8* 7* the above plaductive oil or aformation:	36# 23# an become advisable gas sand should oc	New  Mett  we will notify you cour at a depth of  Since	50:00 * before cementing about 50% rely yours,	Cemented  Cemented  Ing or landing casing.  Sometiments  Company or Operator  Chair Jan	300 1300 500 We estimate that		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in the first proceed and except a	Casing 13 3/8" 9 5/8" 7" the above plaductive oil or aformation: JUN 2	36# 23#  an become advisable gas sand should occurred to the same advisable gas sand should be same advisable gas s	New  New  We will notify you cour at a depth of  By  Positic Send	3000 to 5000 t	Cemented  Cemented  Ing or landing casing.  Sometiments  Company or Operator  Chair Jan	300 1300 500 We estimate that		
Hole 17 1/4" 12 1/4" 8 3/4" f changes in he first procedditional in	Casing 13 3/8" 9 5/8" 7" the above plaductive oil or aformation: JUN 2	36# 23# an become advisable gas sand should oc	New  New  We will notify you cour at a depth of  By  Positic Send	3000 to 5000 t	Cemented  Cemented  Ing or landing casing.  Sometiments  Company or Operator  Company or Operator	300 1300 500 We estimate that		