

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division  
1625 N. French Dr.  
Hobbs, NM 88240  
FORM APPROVED  
Bureau No. 1004-0135  
Expires: March 31, 1993  
Designation and Serial No.  
88240 NM 557256

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

*SUBMIT IN TRIPLICATE*

1. Type of Well  
 Oil Well     Gas Well     Other

2. Name of Operator  
 Conoco Inc

3. Address and Telephone No.  
 10 DESTA DR. STE. 100W, MIDLAND, TX. 79705-4500 (915) 686-5580

4. Location of Well (Footage, Sec., T, R, M. or Survey Description)  
 1650' FSL 990' FEL  
 1660' FNL & 990' FWE, Sec. 15, T22S, R37E, I

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.  
 Elliott B-15 #2

9. API Well No.  
 30-025-10279

10. Field and Pool, or Exploratory Area  
 Drinkard

11. County or Parish, State  
 Lea, NM


In CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Repair Bradenhead</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracuring
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

1/6/00 Hot Oil tubing - RIH w/pump - Place 500# on intermediate casing with chart (attached); held O.K. for 30 minutes. Notify BLM.  
 RDMO - Turn well over to production.

BLM Sundry completed in lieu of C-103, requested by State to be submitted with original chart to the Hobbs OCD Office.



14. I hereby certify that the foregoing is true and correct

Signed Reesa Wilkes Title Sr. Staff Regulatory Assistant Date 01/17/00

(This space for Federal or State office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_

Conditions of approval if any: \_\_\_\_\_

BLM(6), NMOC(1), SHEAR, PONCA, COST ASST, FILE ROOM, FIELD

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

5  
C  
5

**RECEIVED**  
JAN 19 2000  
BLM  
ROSWEILL, NM

Lease Name: ELLIOTT B-15 #2

No: 6

TD: 7513'

AFE:

Date: 1/6/2000

PBTD: 7350'

AMT:

Casing: 13 3/8" 40# @ 226', 8 5/8" 36# @ 2687', 7" 26# @ 7498'  
Perforations: Drinkard 6397'- 6498'

Objective: Repair bradenhead  
Present Operation: RIH w/production equipment

Operation Summary:

Hot oil tbg - RIH w/pump - Place 500# on intermediate casing with chart - Held for 30 minutes - Notify BLM - RDMO - Turn well over to production

Equipment:

(1) 5' SOPMA set @ 6526' - SN - set @ 6521' - (10) jts 2 3/8 tbg - (1) 7' x 2 3/8 TA set @ 6211' - (200) jts 2 3/8 tbg - (1) 8' x 2 3/8 sub - (1) 2 x 1.25 x 16 RHBC w/HS spiral rod guide w/strainer nipple - (3) 1 1/2 K-bars w/centralizers - (2) Guided KD rods - 166 3/4 rods - 88 7/8 rods - 6 x 7/8 sub

Daily Cost Item: Amount:

Pool Service	2,675
Pate Trucking	414
ABC Rental	400
Daily Cost:	3,489
Previous Cost:	13,635
Cumulative Cost:	17,124

Load Oil:  
Used: 0.0  
Rec. daily: 0.0  
Cum. rec: 0.0  
Left to rec: 0.0

Load Water:  
Used:  
Rec. daily:  
Cum. rec:  
Left to rec:

Rig Hrs: 10 Cum: 62.5


Personnel: Company: 1  
Rig: 4 Total: 6  
Service: 1

Equipment:  
Weather:  
Road Conditions:

REESA - PLEASE SUBMIT TO  
NMDCD w/ C103.

THANKS, JOHN

**RECEIVED**  
JAN 19 2000  
BLM  
ROSWELL, NM



CALIBRATED  
CHARTS  
PATENTED

ELLIOTT B-15 # 2

1-6-2000

MI-P0-100-8-96MIN

PRINTED  
IN USA

BRADENHEAD REPAIR -  
FOUND COMMUNICATION  
IN WELLHEAD. REPLACED  
FLANGE.

RECEIVED  
JAN 19 2000  
BLM  
ROSWELL, NM