

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico

Place

February 25, 1948

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

H. J. Penrose, Inc. Lease Well No. 4 in Hobbs  
Company or Operator  
of Sec. 15, T. 22S, R. 37E, N. M. P. M., Brunson Field,  
Lea County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

A 7-7/8" hole has been bottomed in Granite wash at total depth of 7819'. Top of Ellenberger Dolomite, by sample determination, has been picked at 7745'. A string of 3 1/2" casing has been cemented at 7748' with 471 sacks. Plug was pumped down at 6:00 A.M. February 24, 1948.

We propose to run a temperature survey to determine top of cement and allow cement a total set time of 72 hours before drilling plug.

FEB 26 1948

Approved \_\_\_\_\_, 19\_\_\_\_  
except as follows:

H. J. Penrose, Inc.  
Company or Operator  
By Charles F. Miller

Position \_\_\_\_\_  
Send communications regarding well to

Name H. J. Penrose, Inc.  
Address 1000 North, Hobbs

OIL CONSERVATION COMMISSION,  
By W. J. Garza  
Title Oil & Gas Inspector

## OIL-CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS

JAN 16 1948

HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL			

Hobbs, New Mexico, January 14, 1948

Date

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

N. C. Penrose, Inc., Company or Operator

Lease

Well No. 4

in the

SW 1/4 of Sec. 15, T. 22S, R. 37E, N. M. P. M.,  
Brahson Field, Lea County.

The dates of this work were as follows: January 11, 1948

Notice of intention to do the work was (was not) submitted on Form C-102 on January 10, 1948  
and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

8-5/8" 32# casing was cemented at 2551' with 1500 sacks on January 9, 1948. Plug was pumped down at 8:30 A.M.

Hole was entered on morning of January 11, 1948 and cement drilled to bottom of casing. Casing was pressure tested with 1000 and cement job found to be O.K. Shoe was drilled at 9:00 A.M. January 11, 1948 and drilling was resumed.

Witnessed by Tom Marks Name N. C. Penrose, Inc. Company Sup't. Title

Subscribed and sworn before me this

I hereby swear or affirm that the information given above is true and correct to the best of my knowledge.

14th day of January, 1948

Name Charles P. Miller

Position Asst.

Representing N. C. Penrose, Inc. Company or Operator

My commission expires 10/24/49

Address Ft. Worth, Texas.

Remarks:


RECEIVED JAN 16 1948

Date

Roy Yarbrough Name  
OIL & GAS INSPECTOR Title

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico



## MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	<input type="checkbox"/>
NOTICE OF INTENTION TO REPAIR WELL	<input type="checkbox"/>	NOTICE OF INTENTION TO PLUG WELL	<input type="checkbox"/>
NOTICE OF INTENTION TO DEEPEN WELL	<input type="checkbox"/>		<input type="checkbox"/>

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

M. G. Penrose, Inc. Well No. 4 in N. M.  
Company or Operator Lease  
of Sec. 15, T. 22N, R. 37E, N. M. P. M., Grinson Field.  
Lee County.

## FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We cemented 6-5/8" 32# casing at 2851' with 1500 sacks. Plug was pumped down at 6:30 A.M. January 9, 1948. Total depth of hole is 2852'.

We propose to allow cement 48 hours set time before drilling plug and testing casing.

Approved JAN 12 1948, 1948  
except as follows:

OIL CONSERVATION COMMISSION  
By Roy Yankrough  
Title Oil & Gas Inspector

M. G. Penrose, Inc.  
Company or Operator  
By Charles F. Miller  
Position Lease  
Send communications regarding well to  
Name M. G. Penrose, Inc.  
Address 6. North, Texas.

DUPLICATE

## OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## MISCELLANEOUS REPORTS ON WELLS

RECEIVED  
JAN 7 1948  
HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	X		

January 5, 1948

Date

Hobbs, New Mexico

Place

OIL CONSERVATION COMMISSION,  
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the \_\_\_\_\_

N. G. Penrose, Inc. Walden Well No. 4 in the \_\_\_\_\_  
Company or Operator Lease

SW 1/4 NW 1/4 of Sec. 15, T. 22S, R. 37E, N. M. P. M.,  
Brunson Field, Lee County.

The dates of this work were as follows: January 1, 1948

Notice of intention to do the work was (was not) submitted on Form C-102 on \_\_\_\_\_ 19\_\_\_\_

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

## DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Reported on Form C-101 that surface casing would be 13-3/8" 48#. This casing not available and 32.4# Spiral casing was substituted.

13-3/8" casing was cemented at depth of 169' with 183 sacks. Cement circulated back into cellar. Plug pumped down at 8:30 P.M. December 30, 1947. Cement was allowed 44 hours set time before being tested and drilled. Cement job found to be OK. and drilling resumed.

Witnessed by Roy Fairchild Hakin Dril'g. Co. Toolpusher  
Name Company Title

Subscribed and sworn before me this \_\_\_\_\_

I hereby swear or affirm that the information given above is true and correct to the best of my knowledge.

7th day of Jan., 1948

Name Larkin P. Miller

Position Agent

Representing N. G. Penrose, Inc.  
Company or Operator

My commission expires 10/24/49

Address Ft. Worth, Texas.

Remarks:

APPROVED

JAN 7 1948

Date \_\_\_\_\_

Roy Yorkbraugh  
Name  
OIL & GAS INSPECTOR  
Title

## NEW EXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Hobbs, New Mexico

December 27, 1947

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

N. G. Penrose Inc., et alWell No. 4 in NW 1/4

Company or Operator

Lease

of Sec. 15, T. 22S, R. 37E, N. M., P. M., Brunson Field, Lea County.

N

The well is 1830 feet (~~N~~) (S.) of the N line and 660 feet (E.) (~~W~~) of the W line of Section 15

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. \_\_\_\_\_ Assignment No. \_\_\_\_\_

If patented land the owner is Walden, et al

Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is \_\_\_\_\_

Address \_\_\_\_\_

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows: Rotary toolsfrom surface to total depthThe status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: Blanket bond held by operator

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
17 1/2"	13-3/8"	48#	N	150'	C	150
11"	8-5/8"	32#	N	2850'	C	1500
7-7/8"	5-1/2"	17#	N	7720'	C	600

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 7730 feet.

Additional information:

DEC 29 1947

Approved \_\_\_\_\_, 19\_\_\_\_

except as follows:

Sincerely yours,

N. G. Penrose, Inc.

Company or Operator

By James P. MillerPosition Agent

Send communications regarding well to

Name N. G. Penrose, Inc.Address Ft. Worth, Texas.

OIL CONSERVATION COMMISSION,

By Roy Yarbrough

Title

OIL & GAS CONSERVATION